

■ GUANGZHOU HONGLING ELECTRIC HEATING EQUIPMENT CO.,LTD
广州红菱电热设备有限公司

■ GUANGZHOU GUANGLING KITCHEN EQUIPMENT CO.,LTD
广州广菱厨具设备有限公司

Address: No.32, Helong Road, Baiyun District, Guangzhou 510425 China
Address: No.63-2, Road 7, Central village, Renhe Town, Baiyun District, Guangzhou 510470 China

Tel: +86-20-36366335 Fax: +86-20-36366335
Web: www.gzhldr.com
<http://hongling18.en.made-in-china.com>
<https://guangzhouhongling.en.alibaba.com>



Official Website



Made-in-China



Alibaba



These measurements are subject to change or cancellation ,No responsibilitis assumed for use of superseded or voided pagesdue to the printing process,the actual products may differ from those picture,for true matching purposes please refer to HONGLING chip samples.



The First Local Oven Manufacturer From China Since 1979

广州红菱电热设备有限公司
GUANGZHOU HONGLING ELECTRIC HEATING EQUIPMENT CO.,LTD

广州广菱厨具设备有限公司
GUANGZHOU GUANGLING KITCHEN EQUIPMENT CO.,LTD



Contents 目录

Rotary Rack Oven 热风旋转炉	07-08
Convection Oven 热风循环炉	09-10
Gas Deck Oven 燃气层式烤箱	11-14
Electric Deck Oven 远红外电热烤箱	15-18
Pizza Oven 层式披萨烤箱	19-20
Conveyor Pizza Oven 履带式披萨炉	21-22
Proofer 面团醒发箱	23-26
Spiral Mixer 和面机	27-28
Food Mixer 食品搅拌机	29
Planetary Mixer 食品搅拌机	30-31
Dough Sheeter 起酥机	32-35
Bread Slicer 切片机	36
Divider and Moulder 烘焙机械	37-39

Pizza Dough Roller 披萨压面机	40
Working Table 工作台	41
Trolley 饼盘车	42
Baking Tray 烤盘	43-44
Food Equipment 食品设备	45-50
Kitchen Equipment (US type) 厨房设备 (美式)	51-52
Deep Fryer Series 油炸机设备系列	53-55
Griddle Series 烤架设备系列	55-56
Bain Marie Series 保温池系列	57
Snack & Grill Equipment Series 小吃烧烤设备系列	57-60
Fried Chicken & Hamburger Equipent Series 炸鸡汉堡设别系列	61

ABOUT HONGLING

Established in 1979.

Guangzhou Hongling was established in 1979, with more than 43 years experiences of manufacturing technology. Forming a management system integrating R&D, design, production and sales.

We always insist the business tenet of "Quality First and Customer-Oriented". The team has senior engineers, engineers, technicians and other professionals of the R&D staff. The factory occupies 15,000 square meters workshop and there are 200 employees that the company has strong OEM/ODM capabilities.

Guangzhou Hongling professional in R & D, manufacturing and sales tunnel oven, rotary oven, electric oven, gas oven, pizza oven, electric steamer proofer, spiral mixer, planetary mixer, dough divider, dough sheeter up to 180 different ancillary products, annual sales more than 80,000 units. Some products received CE, UL, ISO9001 quality system certification. The company is committed to providing professional complete range of bakery equipment for bakers from all over the world.

In the recent years, we make great progress. It is committed to remodeling baking supreme brand image, the introduction of a variety of automatic advanced production equipment such as: large laser cutting machine; computer-controlled CNC punching machine, bending machine; CNC gas burner drilling machine, etc.So the key components production become more and more standardized and precise, and ensure the quality of the product increasing continually.

With the innovative, pragmatic, pioneering enterprise spirit, and the integrity service concept, Guangzhou Hongling brand products have sold to more than 80 countries in Europe, Middle East, Southeast Asia, Africa. And the company has more than 180 distribution agents at domestic market, sold to more than 80 cities in China.

关于红菱

广州红菱电热设备有限公司，于1979年开始生产《红菱牌》系列食品烘焙设备，系全国最早生产食品机械的企业之一。

至今红菱公司拥有超过45年的研发、生产和销售经验。技术力量雄厚，生产设备和检测设备齐全，不断引进如数控激光切割机、数控冲床、数控折弯机、数控钻孔机、数控焊接机械手等先进设备。80年代从欧洲瑞典引进“康泰尔”先进发热管生产线，使红菱牌电热烘炉拥有发热元器件生产制造核心技术，一度引领市场的技术发展方向成为行业标杆。

历年来，红菱公司产品荣获“广州市优质产品”殊荣，先后被中国食品工业协会授予“中国烘焙十大设备企业”，中国焙烤食品糖制品工业协会授予“中国改革开放四十年焙烤食品糖制品产业优秀企业”，“突出贡献奖”。还获得如厨具业“百强企业”“广东省烘焙行业杰出企业”，“广东省烘焙企业百强”“广东省烘焙企业十强”。连续36年被评为“广东省守合同重信用企业”。

公司始终坚持质量第一，客户至上的生产和服务宗旨，成立由资深专业工程技术人员组成的研发团队，研发适合烘焙食品行业需要的系列产品（包括远红外电烤炉、燃气烤炉、热风旋转炉、隧道炉、醒发箱、多功能电热锅、肉类烧烤炉、和面机、搅拌机、开酥机、电热蒸炉等十三大系列一百多个型号产品）。现有公司员工200多人，车间面积2万余平方米，生产产品销往全国各地及全球60多个国家，越来越多产品获得欧盟CE和北美UL&ETL质量认证。

凭着创新、务实、开拓的企业精神，诚信为本的服务理念，红菱公司将继续提供优质产品，为全社会服务。

品质源于专业，诚信铸就品牌，广州红菱期待与你共创未来。




- The First Bakery Oven Manufacturer in China since 1979.
- ISO9001 Quality System Certification for 23 Consecutive Years
- “Credit Excellent Enterprise” for 23 Consecutive Years

CERTIFICATION




Electric Heater Production Line was Imported From Sweden in 1985.
The only and one oven factory whom make the heater by itself.



Heater Muanfuacturing Technology

Since the introduction of a new production line for infra heater in 1985 HONGLING Oven has received high praise from the market for its excellent performance. Advanced technology and techniques ensure that the heating tubes have a lifespan of 10 years or more, making HONGLING Bakery Equipment the preferred choice



CNC Laser Cutting Machine (3x)



Omada Bending Machine (3x)



Gas Burner CNC Drilling Machine (5x)



CNC Welding Machine (6x)



CNC Punching Machine (3x)



CNC Bending Machine (4x)





Japan & France
Electronic Component



Olympia Burner
(Japan Brand)



Full Stainless Steel #201



Micro-Computer
Controller Optional




Touch Screen

★ Pro


Model	Item	Voltage	Power	N.W. (kg)	Dimension(mm)
HX-16D-01	16-Tray Electric Rotary Oven	380V 50Hz 3N	38.7kW/h	1400	2325x1420x2440
HX-16Y-01	16-Tray Diesel Rotary Oven	380V 50Hz 3N	2.8kW/h	1400	2325x1420x2440
HX-16Q-01	16-Tray Gas Rotary Oven	380V 50Hz 3N	2.8kW/h	1400	2325x1420x2440
HX-32D-01	32-Tray Electric Rotary Oven	380V 50Hz 3N	50.7kW/h	1900	2605x1680x2440
HX-32Y-01	32-Tray Diesel Rotary Oven	380V 50Hz 3N	2.8kW/h	1900	2605x1680x2440
HX-32Q-01	32-Tray Gas Rotary Oven	380V 50Hz 3N	2.8kW/h	1900	2605x1680x2440

★ Pro

Model	Item	Voltage	Power	N.W. (kg)	Dimension(mm)
HX-64D-01	64-Tray Electric Rotary Oven	380V 50Hz 3N	72kW/h	2500	2110*3210*2430
HX-64Y-01	64-Tray Diesel Rotary Oven	380V 50Hz 3N	5.5kW/h	2500	2110*3210*2430
HX-64Q-01	64-Tray Gas Rotary Oven	380V 50Hz 3N	5.2kW/h	2500	2110*3210*2430



Manual Panel



Full Stainless Steel



Durable Locker



★ Pro

Model	Item	Voltage	Power	N.W. (kg)	Dimension(mm)	Remark
RX-5D-NS	5-Tray Electric Convection Oven	380V 50Hz 3N	9.5kW/h	150	820x1080x850	With Steam function
RX-5Q-NS	5-Tray Gas Convection Oven	220V 50Hz	0.55kW/h	180	820x1260x850	With Steam function
RX-10D-NS	10-Tray Electric Convection Oven	380V 50Hz 3N	19kW/h	280	820x1080x1300	With Steam function
RX-10Q-NS	10-Tray Gas Convection Oven	220V 50Hz	1.1kW/h	310	820x1260x1300	With Steam function



★ Pro

Model	Item	Voltage	Power	N.W.(kg)	Dimension(mm)	Remark	Temperature Range
RTO-5D-S	5 Trays Rotary Electric Convection Oven	380V	9.0kW/h	180	920x1080x1800	With Steam function	0-300°C
RTO-10D-S	10 Trays Rotary Electric Convection Oven	380V	19kW/h	340	920x1080x1800	With Steam function	0-300°C

HECO-1A
4-Tray Convection Oven



HECO-4A
4-Tray Convection Oven



HECO-8A
4-Tray Convection Oven



Model	Item	Voltage	Power	N.W.(kg)	Chamber size(mm)	Temperature Range	Steam Function	Baking tray size
HECO-1A	Convection Oven	220-240V 50Hz	2.5KW	40	595x600x571	Rt-300°C	No	320*440 mm
HECO-4A	Convection Oven	220-240V 50Hz	2.67KW	40	595x600x571	Rt-300°C	Yes	320*440 mm
HECO-8A	Convection Oven	220-240V 50Hz	6.4KW	73	834x765x532	Rt-300°C	Yes	400*600 mm

HQG-39B-NM

■ 3-Deck 9-Tray Luxury Gas Oven



HQG-36B-NM

■ 3-Deck 6-Tray Luxury Gas Oven



HQG-24BP-NM

■ 2-Deck 4-Tray Luxury Gas Oven



Elite

Model	Product Name	N.W. (kg)	Power	Size	Chamber size
HQG-24BP-NM	2-Deck 4-Tray Luxury Gas Oven	275	4.0kW	1300×1600×2000	870×710×210
HQG-36B-NM	3-Deck 6-Tray Luxury Gas Oven	300	4.7kW	1300×1600×2000	870×710×210
HQG-39B-NM	3-Deck 9-Tray Luxury Gas Oven	300	4.7kW	1680×1610×2000	1250×710×210

GSO-101HB

■ Full S.S 1-Deck 1-Tray Gas Oven



GSO-204HB

■ Full S.S 2-Deck 4-Tray Gas Oven



GSO-306HB

■ Full S.S 3-Deck 6-Tray Gas Oven



GSO-102HB

■ Full S.S 1-Deck 2-Tray Gas Oven



Pro+

Model	Product Name	Voltage	Power	N.W.(kg)	Dimension(mm)	Tray Size(mm)
GSO-101HB	Full S.S 1-Deck 1-Tray Gas Oven	220V 50Hz	75W/h	92	1128x700x700	400x600
GSO-102HB	Full S.S 1-Deck 2-Tray Gas Oven	220V 50Hz	75W/h	139	1360x910x700	400x600
GSO-204HB	Full S.S 2-Deck 4-Tray Gas Oven	220V 50Hz	150W/h	227	1360x910x1450	400x600
GSO-306HB	Full S.S 3-Deck 6-Tray Gas Oven	220V 50Hz	225W/h	325	1360x910x1810	400x600

GSO-309HB

■ Full S.S 3-Deck 9-Tray Gas Oven



GSO-103HB

■ Full S.S 1-Deck 3-Tray Gas Oven



GSO-206HB

■ Full S.S 2-Deck 6-Tray Gas Oven



Pro+

Model	Product Name	Voltage	Power	N.W.(kg)	Dimension(mm)	Tray Size(mm)
GSO-103HB	Full S.S 1-Deck 3-Tray Gas Oven	220V 50Hz	75W/h	200	1780x910x700	400x600
GSO-206HB	Full S.S 2-Deck 6-Tray Gas Oven	220V 50Hz	150W/h	380	1780x910x1510	400x600
GSO-309HB	Full S.S 3-Deck 9-Tray Gas Oven	220V 50Hz	225W/h	450	1780x910x1820	400x600

HLY-101F
■ Gas 1-Deck 1-Tray



HLY-102F
■ Gas 1-Deck 2-Tray



★ Basic

Model	Product Name	Voltage	Power	N.W.(kg)	Dimension(mm)	Tray Size(mm)	Chamber Size	Max. Temperature
HLY-101F	1-Deck 1-Tray Gas Oven	220V 50Hz	75W/h	60	1010x590*570	400x600	460x640x185mm	350°C
HLY-102F	1-Deck 2-Tray Gas Oven	220V 50Hz	75W/h	98	1310x850x670	400x600	870x670x185mm	400°C

HLY-204F
■ Gas 2-Deck 4-Tray



HLY-306F
■ Gas 3-Deck 6-Tray



★ Basic

Model	Product Name	Voltage	Power	N.W.(kg)	Dimension(mm)	Tray Size(mm)	Chamber Size	Max. Temperature
HLY-204F	2-Deck 4-Tray Gas Oven	220V 50Hz	150W/h	200	1310x850x1400	400x600	870x670x185mm	400°C
HLY-306F	3-Deck 6-Tray Gas Oven	220V 50Hz	225W/h	280	1310x850x1680	400x600	870x670x185mm	400°C

HLY-100E (4 Burner)
■ Gas 1000x1000mm Chamber



HLY-104E
■ Gas 1-Deck 64-Tray



★ Basic

Model	Product Name	Voltage	Power	N.W.(kg)	Dimension(mm)	Tray Size(mm)	Chamber Size	Max. Temperature
HLY-104E	1-Deck 4-Tray Gas Oven	220V 50Hz	75W/h	160	1770x1260x640	400x600	1290x1000x180mm	400°C
HLY-100E	40x40" (1000x1000mm) Chamber Gas Oven	220V 50Hz	150W/h	160	1485x1190x625	1000x1000	1000x1000x185mm	400°C



HLY-103F
■ Gas 1-Deck 3-Tray

HLY-206F
■ Gas 2-Deck 6-Tray



★ Basic

Model	Product Name	Voltage	Power	N.W.(kg)	Dimension(mm)	Tray Size(mm)	Chamber Size	Max. Temperature
HLY-103F	1-Deck 3-Tray Gas Oven	220V 50Hz	75W/h	121	1815x926x580	400x600	1330x710x185mm	400°C
HLY-206F	2-Deck 6-Tray Gas Oven	220V 50Hz	150W/h	234	1815x926x1400	400x600	1330x710x185mm	400°C
HLY-309F	3-Deck 9-Tray Gas Oven	220V 50Hz	225W/h	380	1815x926x1705	400x600	1330x710x185mm	400°C

HLY-309F
■ Gas 3-Deck 9-Tray





Elite

Model	Product Name	Voltage	Power	Size	Chamber size
HQE-24BP-NM	2-Deck 4-Tray Luxury Electric Oven	380V 50H 3Nz	16.55kW	1240×1600×2000	870×710×210
HQE-36B-NM	3-Deck 6-Tray Luxury Electric Oven	380V 50H 3Nz	24.0kW	1240×1600×2000	870×710×210
HQE-39B-NM	3-Deck 9-Tray Luxury Electric Oven	380V 50H 3Nz	27.0kW	1620×1610×2000	1250×710×210



Full Glass Electric Oven

- 1 With more than 43 years oven manufacturing experience
- 2 High efficiency heater warranty 10 years
- 3 With over-heat and leakage protected function
- 4 Micro computer controller with door seal
- 5 Full glass window and full stainless steel handle




Pro

Model	Product Name	Voltage	Power	N.W.(kg)	Dimension(mm)	Tray Size(mm)	Chamber Size	Temperature
XYF-1KA-NM	1-Deck 2-Tray Electric Oven	220V / 380V 50Hz	6.8kW/h	78	1260x850x570	400x600	870x670x200mm	Rtp.~350°C
XYF-2KA-NM	2-Deck 4-Tray Electric Oven	380V 50Hz	13.6kW/h	145	1260x850x1270	400x600	870x670x200mm	Rtp.~350°C
XYF-3KA-NM	3-Deck 6-Tray Electric Oven	380V 50Hz	20.4kw/h	188	1260x850x1640	400x600	870x670x200mm	Rtp.~350°C

Common Type Electric Deck Oven

- 1 With more than 43 years oven manufacturing experience
- 2 High efficiency heater warranty 10 years
- 4 Alusteel chamber side, better baking uniformty



XYF-1KE-T
■ Electric 1-Deck 2-Tray



XYF-2KE-T
■ Electric 2-Deck 4-Tray



XYF-3KE-T
■ Electric 3-Deck 6-Tray



★ Basic

Model	Product Name	Voltage	Power	N.W.(KG)	Dimension(mm)	Tray Size(mm)	Chamber Size	Max. Temperature
XYF-1KE-T	1-Deck 2-Tray Electric Oven	220V/380V 50Hz	6.8kW/h	78	1260x850x570	400x600	870x670x200mm	350°C
XYF-2KE-T	2-Deck 4-Tray Electric Oven	380V 50Hz	13.6kW/h	145	1260x850x1240	400x600	870x670x200mm	350°C
XYF-3KE-T	3-Deck 6-Tray Electric Oven	380V 50Hz	20.4kW/h	188	1260x850x1640	400x600	870x670x200mm	350°C

XYF-1EB-T
■ Electric 1-Deck 1-Tray



XYF-1ED
■ Electric 1-Deck 1-Tray



XYF-1ED-N
■ Electric 1-Deck 1-Tray



★ Basic

Model	Product Name	Voltage	Power	N.W.(kg)	Dimension(mm)	Tray Size(mm)	Chamber Size	Max. Temperature
XYF-1EB-T	Electric 1-Deck 1-Tray Oven	220V 50Hz	3kW/h	30	930x685x405	400x600	645x510x155mm	350°C
XYF-1ED	Electric 1-Deck 1-Tray Oven	220V 50Hz	3kW/h	35	980x675x405	400x600	645x510x155mm	350°C
XYF-1ED-N	Electric 1-Deck 1-Tray Oven	220V 50Hz	3kW/h	35	980x675x405	400x600	645x510x155mm	350°C

XYF-1KAL-T
■ Electric 1-Deck 3-Tray



XYF-2KAL-T
■ Electric 2-Deck 6-Tray



XYF-3KAL-T
■ Electric 3-Deck 9-Tray



★ Basic

Model	Product Name	Voltage	Power	N.W.(kg)	Dimension(mm)	Tray Size(mm)	Chamber Size	Max. Temperature
XYF-1KAL-T	1-Deck 3-Tray Electric Oven	380V 50Hz	9kW/h	100	1680x860x570	400x600	1295x655x200mm	350°C
XYF-2KAL-T	2-Deck 6-Tray Electric Oven	380V 50Hz	18kW/h	179	1680x860x1273	400x600	1295x655x200mm	350°C
XYF-3KAL-T	3-Deck 9-Tray Electric Oven	380V 50Hz	27kW/h	260	1680x860x1660	400x600	1295x655x200mm	350°C



EGO Brand Controller



Full Stainless Steel



Stone Inside



Durable Heater & Controller

Elite

Model	Product Name	Voltage	Power	N.W.(kg)	Pizza Capacity	Dimension(mm)	Chamber Size(mm)
PZD-5269-1	Single Deck Pizza Oven (Electric)	380V3N~/50Hz	4.5kW	80	10"x4	810x810x410	520x690x145
PZD-5269-2	Double Deck Pizza Oven (Electric)	380V3N~/50Hz	9.0kW	130	10"x4x2	810x810x720	520x690x145

Basic

Model	Product Name	Voltage	Power	N.W.(kg)	Dimension(mm)	Chamber Size(mm)	Max. Temp.
PZD-4040-01	Single Deck Pizza Oven	220V 50Hz	2.6kW	30	600x520x310	400x400x120	~350°C
PZD-4040-02	Double Deck Pizza Oven	220V 50Hz	3.9kW	56	600x520x470	400x400x120	~350°C
PZD-4040-01B	Full S.S Single Deck Pizza Oven	220V 50Hz	2.6kW	30	600x520x310	400x400x120	~350°C
PZD-4040-02B	Full S.S Double Deck Pizza Oven	220V 50Hz	3.9kW	56	600x520x470	400x400x120	~350°C




Pro

Model	Product Name	Voltage	Power	Dimension(mm)	Chamber Size(mm)	Max. Temp.
PZD-4040-01H	High Temp. Single Deck Pizza Oven	220V 50Hz	2.6kW	650x600x350	400x400x120	~450°C
PZD-4040-02H	High Temp. Double Deck Pizza Oven	220V 50Hz	5.2kW	650x600x600	400x400x120	~450°C



HLE-480
■ HLE-480 Electric Pizza Oven

HLG-480
■ HLG-480 Gas Pizza Oven



Elite Electric Pizza Oven

Model	Voltage	Power	Dimension(mm)	Conveyor size (mm)	Calorie (Kcal/h)	Baking Chamber Length (mm)	Chamber Size	Output pcs	N.W.
HLE-260	220V/380V 50/60Hz	5(KW)	788*690*412	788*260	3300	430	10 inches	36/hr (6" pizza)	56(kg)
HLE-400	220V/380V 50/60Hz	7(KW)	1230*866*429	1230*400	7300	460	15 inches	20/hr (9" pizza)	116(kg)
HLE-480	380V 50/60Hz	9.8(KW)	1247*972*438	1247*480	8800	560	18 inches	50/hr (9" pizza)	128(kg)
HLE-520	380V 50/60Hz	11.5(KW)	1520*1015*480	1520*520	10000	710	20 inches	70/hr (9" pizza)	144(kg)
HLE-865	380V 50/60Hz	24(KW)	1810*1522*600	1810*865	26000	940	34 inches	120/hr (9" pizza)	360(kg)

Elite Gas Pizza Oven

Model	Input Electricity	Gas Pressure (kpa)	Gas Consumption	Dimension(mm)	Conveyor size (mm)	Calorie (Kcal/h)	Baking Chamber Length (mm)	Chamber Size	Output pcs	N.W.
HLG-400	220V 50/60Hz	LPG 2.3-3.3 LNG 1.0-2.5	LPG 0.31(m³/hr) LNG 0.70(m³/hr)	1230*866*429	1230*400	7300	460	15 inches	20/hr (9" pizza)	116(kg)
HLG-480	220V 50/60Hz	LPG 2.3-3.3 LNG 1.0-2.5	LPG 0.38(m³/hr) LNG 0.88(m³/hr)	1247*972*438	1247*480	8800	560	18 inches	50/hr (9" pizza)	128(kg)
HLG-520	220V 50/60Hz	LPG 2.3-3.3 LNG 1.0-2.5	LPG 0.42(m³/hr) LNG 0.95(m³/hr)	1520*1015*480	1520*520	10000	710	20 inches	70/hr (9" pizza)	144(kg)
HLE-865	380V 50/60Hz	LPG 2.3-3.3 LNG 1.0-2.5	LPG 1.10(m³/hr) LNG 2.60(m³/hr)	1810*1522*600	1810*865	26000	940	34 inches	120/hr (9" pizza)	360(kg)

PZE-12/20
■ Electric Pizza Oven

PZG-12/20
■ Gas Pizza Oven



Basic

Model	Product Name	Voltage	Power	G.W.(kg)	Dimension(mm)	Belt Size(mm)	Temperature
PZE-12	12" Electric Pizza Oven	380V 50Hz 3N	6.4kW/h	45	1100x560x340	340x1100	Rtp.~400°C
PZE-20	20" Electric Pizza Oven	380V 50Hz 3N	18kW/h	65	1560x750x340	530x1560	Rtp.~400°C
PZG-12	12" Gas Pizza Oven	220V 50Hz	0.1kW/h	60	1100x640x430	340x1100	Rtp.~400°C
PZG-20	20" Gas Pizza Oven	220V 50Hz	0.1kW/h	80	1550x780x430	530x1550	Rtp.~400°C



★ Basic

Model	Product Name	Voltage	Power	N.W. (kg)	Machine Size(mm)
XF-16A	16 Trays Proofer	220V 50Hz	2.35kW	53	500x770x1980
XF-32A	32 Trays Proofer	220V 50Hz	3.2kW	102	1000x820x1980



★★ Pro

Model	Product Name	Voltage	Power	N.W. (kg)	Machine Size(mm)
XF-16B	Luxurious 16 Trays Proofer	220V 50Hz	2.35kW	63	500x770x1980
XF-32B	Luxurious 32 Trays Proofer	220V 50Hz	3.2kW	115	1020x700x1980



★ Basic

Model	Product Name	Voltage	Power	Machine Size(mm)
XF-13Y	Economy Type 13 Trays Proofer	220V 50Hz	2.6kW	500x700x1720
XF-16Y	Economy Type 16 Trays Proofer	220V 50Hz	2.6kW	500x700x1980
XF-32Y	Economy Type 32 Trays Proofer	220V 50Hz	2.8kW	1000x700x1980



★★★ Elite

Model	Product Name	Power	Voltage	N.W. (kg)	Machine Size(mm)
XF-18H	18 Trays Luxurious Proofer	2.0kW	220V 50Hz	53	600x960x2100
XF-36H	36 Trays Luxurious Proofer	2.3kW	220V 50Hz	80	800x1160x2100

DXF-18F/DXF-18R

■ 18 Tray Freezing Proofer
■ 18 Tray Refrigerated Proofer



DXF-36F/DXF-36R

■ 36 Trays Freezing Proofer
■ 36 Trays Refrigerated Proofer



DXF-36FR

■ 36 Trays Freezing & Refrigerated Proofer



Model	Product Name	Power	Voltage	N.W. (kg)	Machine Size(mm)	Temperature
DXF-18F	18 Trays Freezing Proofer	2.0kW	220V 50Hz	150	600x950x2100	-18°C Min
DXF-36F	36 Trays Freezing Proofer	2.3kW	220V 50Hz	220	800x1150x2100	-18°C Min
DXF-18R	18 Trays Refrigerated Proofer	2.0kW	220V 50Hz	150	600x950x2100	2°C Min
DXF-36R	36 Trays Refrigerated Proofer	2.3kW	220V 50Hz	220	800x1150x2100	2°C Min
DXF-36FR	36 Trays Freezing & Refrigerated Proofer	4.6kW	220V 50Hz	250	880x1150x2100	-18°C ~ 2°C

DXF-32H

■ 32 Trays Freezing Fermentation Room



DXF-64H

■ 64 Trays Freezing Fermentation Room



Model	Product Name	Power	Voltage	N.W. (kg)	Machine Size(mm)	Temperature
DXF-32H	32 Trays Freezing Fermentation Room (1 Trolley)	2.5kW	220V 50Hz	220	900x1160x2200	-15~50°C
DXF-64H	64 Trays Freezing Fermentation Room (2 Trolley)	2.8kW	220V 50Hz	480	1750x1150x2330	-15~50°C

Proofing Engine

XFZ-9

■ Proofing Engine



Model	XFZ-9
Item	Proofing Engine
Voltage	380V 50Hz
Power	9.9kW
Weight	80kg
Machine Size	900*290*1680mm
Room Volume	3x3x2.3m
Temperature	25~50°C
Humidity	Max ~99%



XF-32H

■ 32 Trays Trolley Proofer



XF-64H

■ 64 Trays Trolley Proofer



Model	Product Name	Voltage	Power	N.W. (kg)	Machine Size(mm)
XF-32H	32 Trays Single Trolley Proofer	380V 50Hz	2.8kW	350	850x1240x2140
XF-64H	64 Trays Two Trolley Proofer	380V 50Hz	5.6kW	450	1720x1240x2140



★ Basic

Model	Item	Voltage/Power	Flour Capacity	N.W.	Dimension(mm)	Hook Speed	Bowl Speed	Bowl Capacity
DM-8G	8L Spiral Mixer (3kg)	220V 50Hz/0.7kW	3.0kg	30kg	495x302x385	0~159rpm	21rpm	8L
BS-10A	10L Spiral Mixer (3.5kg Converter inside)	220V 50Hz/0.55kW	3.5kg	43kg	480x250x500	110~285rpm	12/25rpm	10L
BS-20A	20L Spiral Mixer (8kg Converter inside)	220V 50Hz/1.5kW	8kg	93kg	700x390x770	125/250rpm	12/25rpm	20L
BS-30A	30L Spiral Mixer (12kg Converter inside)	220V 50Hz/2.0kW	12kg	117kg	770x440x850	125/250rpm	12/25rpm	30L
BS-40A	40L Spiral Mixer (15kg Converter inside)	220V 50Hz/2.2kW	15kg	125kg	770x440x850	125/250rpm	12/25rpm	40L
BS-60A	60L Spiral Mixer (25kg Converter inside)	220V 50Hz/4.0kW	25kg	177kg	880x530x920	125/250rpm	12/25rpm	60L
BS-20H	20L Spiral Mixer (8kg)	380V 50Hz/1.1kW	8kg	93kg	700x390x770	125/250rpm	12/25rpm	20L
BS-30H	30L Spiral Mixer (12kg)	380V 50Hz/1.5kW	12kg	117kg	770x440x850	125/250rpm	12/25rpm	30L
BS-40H	40L Spiral Mixer (15kg)	380V 50Hz/1.8kW	15kg	125kg	770x440x850	125/250rpm	12/25rpm	40L
BS-60H	60L Spiral Mixer (25kg)	380V 50Hz/4.0kW	25kg	177kg	880x530x920	125/250rpm	12/25rpm	60L

HS 80 (25KG)
■ 80L Spiral Mixer



HS130 (50KG)
■ 130L Spiral Mixer



HS200/260 (75/100KG)
■ 200/260L Spiral Mixer



★ Pro

Model	Product Name	Voltage	Power	Flour Capacity	N.W. (kg)	Dimension(mm)	Hook Speed	Bowl Capacity
HS80	80L Spiral Mixer (25kg)	380V 50Hz	2.4kW	25kg	429kg	1120x680x1300	107/210rpm	80L
HS130	130L Spiral Mixer (50kg)	380V 50Hz	5.6kW	50kg	570kg	1220x750x1430	107/210rpm	130L
HS200	200L Spiral Mixer (75kg)	380V 50Hz	7.5kW	75kg	700kg	1330x950x1510	100/200rpm	200L
HS260	260L Spiral Mixer (100kg)	380V 50Hz	11kW	100kg	750kg	1460x950x1600	100/200rpm	260L



With Emergency Operation Button Manual or Digital Controller are Optional



Manual Controller Optional



Food Grade Stainless Steel



DM-15E
■ Spiral mixer

DM-50E
■ Spiral mixer

DM-75E
■ Spiral mixer

★ Elite

Model	Product Name	Voltage	Power	Flour Capacity	N.W.	Dimension(mm)	Hook Speed	Bowl Capacity
DM-15E	40L Spiral Mixer (15kg)	380V 50Hz	2.2kW	15kg	200kg	860x485x1230	271/124rpm	40L
DM-25E	80L Spiral Mixer (25kg)	380V 50Hz	4.0kW	25kg	300kg	930x590x1280	255/117rpm	80L
DM-50E	130L Spiral Mixer (50kg)	380V 50Hz	6.0kW	50kg	410kg	1140x715x1370	238/109rpm	130L
DM-75E	200L Spiral Mixer (75kg)	380V 50Hz	11.1kW	75kg	580kg	1330x940x1560	250/110rpm	200L



B-5/B-7
■ 5L/7L Food Mixer



★ Pro

Model	Product Name	Voltage	Power	Flour Capacity	N.W. (kg)	Dimension(mm)	Bowl Capacity
B-5	5L Food Mixer	220V 50Hz	300W/h	1.0kg	13.6kg	370x230x410	5L
B-7	7L Food Mixer	220V 50Hz	350W/h	1.5kg	14.5kg	420x250x425	7L

HL-5C/7C
■ 5L/7L Food Mixer



*** Elite

With CE ETL & UL Certification

Model	Product Name	Voltage	Power	Flour Capacity	N.W. (kg)	Dimension(mm)	Bowl Capacity
HL-5C	5L Food Mixer	220V 50Hz	250W/h	1.0kg	14kg	410x230x420	5L
HL-7C	7L Food Mixer	220V 50Hz	270W/h	1.5kg	15kg	410x230x420	7L

B-10B

■ 10L Planetary Mixer (Gear)



B-20B

■ 20L Planetary Mixer (Gear)



B-30B

■ 30L Planetary Mixer (Gear)



★ Basic

Model	Product Name	Voltage	Flour Capacity	N.W.	Dimension(mm)	Mixing Speed	Bowl Capacity
B-10B	10L Planetary mixer(Gear)	220V 50Hz	1kg	56kg	450*350*640	110/180/408rpm	10L
B-20B	20L Planetary mixer(Gear)	220V 50Hz	2kg	73kg	580*440*770	110/180/408rpm	20L
B-30B	30L Planetary mixer(Gear)	220V 50Hz	3kg	90kg	560*600*820	110/180/408rpm	30L

B-20F

■ 20L Planetary mixer (Belt)



B-30F

■ 30L Planetary mixer (Belt)



B-40F/50F/60F

■ 40L/50L/60L Planetary mixer (Belt)



B-60A/80A

■ 60/80L Planetary Mixer



★ Pro

Model	Product Name	Voltage	N.W. (KG)	Dimension(mm)	Mixing Speed	Bowl Capacity
B-60A	60L Planetary Mixer	380V 50Hz	480kg	920x670x1630	110/200/420rpm	60L
B-80A	80L Planetary Mixer	380V 50Hz	510kg	940x720x1730	110/200/420rpm	80L

★ Basic

Model	Product Name	Voltage	Flour Capacity	N.W.	Dimension(mm)	Mixing Speed	Bowl Capacity
B-20F	20L Planetary mixer (Belt)	220V 50Hz	3.0kg	80kg	540x450x860	110/200/420rpm	20L
B-30F	30L Planetary mixer (Belt)	220V 50Hz	4.0kg	109kg	545x488x925	110/200/420rpm	30L
B-40F	40L Planetary mixer (Belt)	220/380V 50Hz	4.5kg	150kg	620x520x1011	80/160/310rpm	40L
B-50F	50L Planetary mixer (Belt)	380V 50Hz	7.0kg	195kg	690x622x1200	74/150/288rpm	50L
B-60F	60L Planetary mixer (Belt)	380V 50Hz	8.0kg	251kg	724x652x1300	74/150/288rpm	60L



With CE & ETL Certification



- 1 With CE ETL & UL certification
- 2 The body is made of cast aluminum
- 3 All stainless steel is food grade #304

Elite

Model	Product Name	Voltage	Power	Flour Capacity	N.W.	Dimension(mm)	Hook Speed	Bowl Capacity
LB-10A	10L Luxury Planetary Mixer	220V 50Hz	0.75kW	2.0kg	36kg	505x475x710	108/198/355rpm	10L
LB-20A	20L Luxury Planetary Mixer	220V 50Hz	1.1kW	4.0kg	112kg	630x590x890	108/198/355rpm	20L
LB-30A	30L Luxury Planetary Mixer	220V 50Hz	1.5kW	7.5kg	180kg	710x670x1270	108/198/355rpm	30L
LB-40A	40L Luxury Planetary Mixer	220V 50Hz	2.2kW	9.5kg	190kg	710x670x1300	108/198/355rpm	40L
LB-60A	60L Luxury Planetary Mixer	380V 50Hz	3.0kW	15kg	396kg	1220x920x1700	71/123/206/362rpm	60L



Pro+

Model	Product Name	Belt Size	Voltage	Net Weight	Roller Interspace	Max Dough Capacity	Machine Size
HDS-520HT	520mm Table Top Dough Sheeter	500*1700	220V 0.4kW	146kg	1-38mm	5kg	2390*1060*600
HDS-520H	520mm Dough Sheeter	500*2000	220V 0.55kW	198kg	1-38mm	5kg	2400*980*1230
HDS-630H	630mm Dough Sheeter	600*2400	220V 0.55kW	235kg	1-38mm	6kg	2400*980*1230

MDS-360T
360mm Mini Dough Sheeter




Pro+

Model	Product Name	Belt Size	Voltage	Net Weight	Roller Interspace	Max Dough Capacity	Machine Size
MDS-360T	360mm Mini Dough Sheeter	360*1200	220V 0.18kW	86kg	1-30mm	3.5kg	1590*860*460
MDS-500T	500mm Mini Dough Sheeter	500*1700	220V 0.4kW	132kg	1-35mm	4.5kg	2390*1060*600

MDS-500T
500mm Table Top Dough Sheeter





What's PU (Blue) belt?

- 1 Higher food safety level with FDA SGS certified.
- 2 1.5-2 times longer service life than PVC belt.
- 3 PU belt materials are oil-resistant.
- 4 PU belts are more easy to clean and will not be yellowing.

QS-400B/520B/630B
■ 400/520/630mm Classic type



QS-400BT/500BT
■ Full S.S 400/520mm Table Top



QS-520BE/630BE
■ Luxurious 520/630mm Sheeter



Elite

Model	Product Name	Belt Size	Voltage	Net Weight	Expanded Width/ Height	Max Dough Capacity	Machine Size
QS-520BE	520 Dough Sheeter	520x2200	220/380V 50Hz	260kg	2700x1100	5.5kg	960x2700x1100
QS-630BE	630 Dough Sheeter	630x2400	220/380V 50Hz	290kg	3100x1100	6.5kg	1060x3100x1100
QS-400B	Full S.S 400 Dough Sheeter	400x1600	220/380V 50Hz	170kg	2000x1040	4.0kg	820x2000x1040
QS-520B	Full S.S 520 Dough Sheeter	520x2200	220/380V 50Hz	248kg	2700x1100	5.5kg	960x2700x1100
QS-630B	Full S.S 630 Dough Sheeter	630x2400	220/380V 50Hz	268kg	3100x1100	6.5kg	1060x3100x1100
QS-400BT	Full S.S Table Top 400 Dough Sheeter	400x1600	220/380V 50Hz	110kg	1990x590	4.0kg	840x1990x590
QS-520BT	Full S.S Table Top 520 Dough Sheeter	520x2200	220/380V 50Hz	130kg	2250x590	5.5kg	960x2250x590

H-520E/630E/520F
■ 520/630 dough sheeter



Basic

Model	Product Name	Belt Size	Voltage	Net Weight	Expanded Width/ Height	Max Dough Capacity
H-420E	420 Dough Sheeter	400x1700	220/380V 50Hz	250kg	2020x1285	4.0kg
H-520E	520 Dough Sheeter	500x2000	220/380V 50Hz	260kg	2520x1282	5.0kg
H-630E	630 Dough Sheeter	610x2800	220/380V 50Hz	290kg	3320x1285	6.5kg
H-520F	520 Dough Sheeter	500x2000	220/380V 50Hz	234kg	2520x1280	5.0kg

MT 300/400/500
■ 300/400/500 dough sheeter



Model	Voltage	Frequency	Motor power	Roller Range	Roller Diameter	Worktable Width	N.W.(kg)	Outline Dimension
MT300	220(V)	50/60(Hz)	0.12(kW)	1~35(mm)	89mm	300(mm)	80	68*118*55cm
MT400	220(V)	50/60(Hz)	0.12(kW)	1~35(mm)	89mm	400(mm)	90	78*168*55cm
MT500	220(V)	50/60(Hz)	0.12(kW)	1~35(mm)	89mm	500(mm)	100	88*208*55cm



QS-650Z
■ Automatic Dough Sheeter



HLM-AU31
■ Automatic High Speed Bread Slicer

Model	Slicing Thickness	Blade Quantity	Voltage	Power	Net Weight	Machine Size
HLM-AU31	12mm	31 pcs	220V 50Hz	1.1kW	150kg	1900x680x1220mm



QS-600AC
■ Auto Shape Cutting Machine

Cutting Shape: ○ □ ▲ ▽ ▢ ○

Model	Product Name	Belt Size	Voltage	Net Weight	Power	Machine Size
QS-600AC	Auto. Shape Cutting Machine	600x4000	220/380V 50Hz	600kg	1.2kW	4000x1000x1140
QS-650Z	Auto. 650 Dough Sheeter	630x4000	220/380V 50Hz	600kg	1.5kW	4000x1090x1360
DM-300	Toast Dough Moulder	Belt wide:650mm	220/380V 50Hz	280kg	1.1kW	2100x900x1720

HLM-31H
■ 12mm



HLM-31E
■ 12mm



HLM-31F
■ 12mm



★ Pro

Model	Slicing Thickness	Blade Quantity	Voltage	Power	Net Weight	Machine Size
HLM-31E	12mm	31 pcs	220V 50Hz	0.37kW	54kg	765x600x710
HLM-31H	12mm	31 pcs	220V 50Hz	0.37kW	70kg	720x546x720
HLM-37H	10mm	37 pcs	220V 50Hz	0.37kW	70kg	720x546x720

★ Basic

Model	Slicing Thickness	Blade Quantity	Voltage	Power	Net Weight	Machine Size
HLM-31F	12mm	31 pcs	220V 50Hz	0.37kW	70kg	720x546x720

HLM-36
■ 36 Cuts Dough Divider



HLM-20BP
■ 20 Cuts Manual Dough Divider



HLM-36BP
■ 36 Cuts Manual Dough Divider



Model	Product Name	Blade Quantity	Dough Range	Power	Net Weight	Machine Size
HLM-36	36 Cuts Dough Divider	36 pcs	30-180g	220V 50Hz 0.75kw	180kg	410x520x1240
HLM-36BP	36 Cuts Manual Dough Divider	36 pcs	30-180g	----	80kg	520x600x1280
HLM-20BP	20 Cuts Manual Dough Divider	20 pcs	50-250g	----	80kg	520x600x1280

HLM-30S/36S
■ 30/36 Cuts Semi-Auto Dough Divider and Rounder



HLM-30SH/36SH
■ 30/36 Cuts Semi-Auto Dough Divider and Rounder



HLM-30FA/36FA
■ 30/36 Cuts Full Auto Dough Divider and Rounder



★ Pro

Model	Product Name	Dough Range	Voltage	Power	N.W.(kg)	Machine Size(mm)
HLM-30SH	30 Cuts Semi-Auto Dough Divider and Rounder	30-100g	220/380V 50Hz	0.75kW	355kg	540x640x2000
HLM-36SH	36 Cuts Semi-Auto Dough Divider and Rounder	20-70g	220/380V 50Hz	0.75kW	355kg	540x640x2000

★ Basic

Model	Product Name	Dough Range	Voltage	Power	N.W.(kg)	Machine Size(mm)
HLM-30S	30 Cuts Semi-Auto Dough Divider and Rounder	30-100g	220/380V 50Hz	0.75kW	330kg	740x570x2100
HLM-36S	36 Cuts Semi-Auto Dough Divider and Rounder	20-70g	220/380V 50Hz	0.75kW	330kg	740x570x2100
HLM-30FA	30 Cuts Full Auto Dough Divider and Rounder	30-100g	220/380V 50Hz	1.5kW	400kg	540x580x1500
HLM-36FA	36 Cuts Full Auto Dough Divider and Rounder	20-70g	220/380V 50Hz	1.5kW	400kg	540x580x1500

DD-20MP
■ Manual Divider



HLM-H20D/H30D
■ 20/30 Cuts Hydraulic Dough Divider



Model	Product Name	Divider Quantity	Dough Range	Voltage	Power	N.W.	Machine Size
HLM-H20D	20 Cuts Hydraulic Dough Divider	20 pcs	135-800g	220V/380V,50Hz	2.2kW	400kg	640x660x985
HLM-H30D	30 Cuts Hydraulic Dough Divider	30 pcs	90-550g	220V/380V,50Hz	2.2kW	400kg	640x660x985
DD-20MP	20 Cuts Manual Dough Divider	20 pcs	50-500g	-	1.1kW	200kg	650x900x1500

MD-380A
■ 380mm Toast Moulder



MD-280A
■ 280mm Mini Toast Moulder



FB-300
■ Baguette Moulder



Model	Product Name	Voltage	Power	Net Weight	Machine Size
MD-380A	380mm Toast Moulder	220V / 380V	0.75kW	220kg	580x1340x1100
MD-280A	280mm Mini Toast Moulder	220V / 380V	0.40kW	145kg	720x546x720
FB-300	Baguette Moulder	220V/380V,50Hz	1.1kW	400kg	960x1010x1580



Model	Dough Range	Output Capacity	Voltage	Power	Net Weight	Machine Size(mm)
AUR-1P	100-500g	1900pcs/h	380V 50Hz	2.0kW	420kg	1760x1360x1650
AUR-2P	50-250g	3800pcs/h	380V 50Hz	2.0kW	420kg	1760x1360x1650
AUR-3P	30-110g	5700pcs/h	380V 50Hz	2.0kW	420kg	1760x1360x1650
AUR-4P	15-60g	7600pcs/h	380V 50Hz	2.0kW	420kg	1760x1360x1650



Model	Product Name	Belt Width	Output Capacity	Voltage	Power	Net Weight	Machine Size
QQJ-400	Cookie Machine	420mm	80~130kg/h	220V 50Hz	1.2kW	350kg	930x1550x1410
QQJ-600	Cookie Machine	620mm	120~190 kg/h	220V 50Hz	1.5kW	450kg	1130x1550x1410
CFM-400	Cake Filling Machine	420mm	80~130 kg/h	220V 50Hz	1.2kW	350kg	930x1550x1410
CFM-600	Cake Filling Machine	620mm	120~190 kg/h	220V 50Hz	1.5kW	450kg	1130x1550x1410



Model	Product Name	Machine Size	Net Weight	Voltage	Dough Range	Pizza Size
H-18VA	18 Inch Pizza Dough Roller	645*380*350mm	27kg	220V 50/60Hz 0.45kw	50-500g	10-480mm




Model	Product Name	Pizza Size	Dough Range	Voltage	Net Weight	Machine Size
APD40/H-15V	15 Inch Pizza Roller	10-40mm	50-500g	220V 50/60Hz 0.37kw	40kg	530x530x645
APD30/H-12V	12 Inch Pizza Roller	10-30mm	50-500g	220V 50/60Hz 0.37kw	37kg	480x520x620



Model	Size	Thickness	Material
TB-1270-1.0T	1200x700x800mm	1.0mm	Stainless steel #201
TB-1570-1.0T	1500x700x800mm	1.0mm	Stainless steel #201
TB-1870-1.0T	1800x700x800mm	1.0mm	Stainless steel #201

Model	Size	Thickness	Material
TBB-1270-1.0T	1200x700x800mm	1.0mm	Stainless steel #201
TBB-1570-1.0T	1500x700x800mm	1.0mm	Stainless steel #201
TBB-1870-1.0T	1800x700x800mm	1.0mm	Stainless steel #201



Model	Size	Thickness	Material
4-Layer 1.0m1.0t	1000x500x1550mm	1.0mm	Stainless steel #201
4-Layer 1.2m1.0t	1200x500x1550mm	1.0mm	Stainless steel #201
4-Layer 1.5m1.0t	1500x500x1550mm	1.0mm	Stainless steel #201
4-Layer 1.8m1.0t	1800x500x1550mm	1.0mm	Stainless steel #201

16 Trays Trolley
■ Normal temperature



32 Trays Trolley
■ Normal temperature



16 Trays Trolley
■ High Temperature Resistance




32 Trays Trolley
■ High Temperature Resistance




Loaf Pan



Dimonsion	Top Size	Bottom Size	Hight	Thickness
250g	164*94mm	158*87mm	77mm	1.0mm
385g	217*94mm	211*88mm	77mm	1.0mm
450g	197*106mm	186*101mm	110mm	1.0mm
600g	309*91mm	300*84mm	107mm	1.0mm
750g	316*100mm	305*93mm	116mm	1.0mm
900g	327*106mm	316*100mm	122mm	1.0mm
1000g	327*121mm	312*119mm	121mm	1.0mm
1200g	370*120mm	361*116mm	125mm	1.0mm



600g



1200g



Low Side Aluminum Tray

Model	Size	Thickness
LT-4060-1.0	400x600x30mm	1.0mm



High Side Aluminum Tray

Model	Size	Thickness
HT-4060-1.0	400x600x50mm	1.0mm



Non-stick 4 Rows Baguette Tray (Aluminum)

Model	Size	Thickness
NBT-4060-4	400x600x30mm	1.0mm



Non-stick 5 Rows Baguette Tray (Aluminum)

Model	Size	Thickness
NBT-4060-5	400x600x30mm	1.0mm



Alusteel Tray

Model	Size	Thickness
ALT-4060-0.5	400x600x30mm	0.5mm
ALT-4060-0.6	400x600x30mm	0.6mm



Non-stick Perforated Austeel Baking Tray

Model	Size	Thickness
PLT-4060-0.5	400x600x30mm	0.5mm
PLT-4060-0.6	400x600x30mm	0.6mm



Non-stick 7 Rows Baguette Tray (Aluminum)

Model	Size	Thickness
NBT-6080-7	600x800x30mm	1.0mm



Non-stick 8 Rows Baguette Tray (Aluminum)

Model	Size	Thickness
NBT-6080-8	600x800x30mm	1.0mm



Low Side Non-stick Austeel Baking Tray

Model	Size	Thickness
NLT-4060-0.5	400x600x30mm	0.5mm
NLT-4060-0.6	400x600x30mm	0.6mm



High Side Non-stick Austeel Baking Tray

Model	Size	Thickness
NHT-4060-0.5	400x600x50mm	0.5mm
NHT-6060-0.6	400x600x50mm	0.6mm



Perforated Alusteel Baking Tray

Model	Size	Thickness
PLT-4060-0.8	400x600x30mm	0.8mm
PLT-4060-1.0	400x600x30mm	1.0mm



Stainless Steel Cooling Tray

Model	Size	Thickness
Bread Cooling Tray(V-Foot)	400x600x10mm	0.75kg
Bread Cooling Tray(V-Foot)	400x600x10mm	1kg

Blender

K31 (2.2L) ■ 2.2L Blender **K90 (2.2L)** ■ 2.2L Blender **1108A (2.2L)** ■ 2.2L Blender **Q8 (4L)** ■ 4L Blender **K95 (2.2L)** ■ 2.2L Blender **TM-767 (2L)** ■ 2L Blender



Model	Product Name	Voltage	Power	Capacity	N.W. (KG)	Dimension(mm)
K31	Blender	220V 50Hz	2.0kW	2.2L	6.64	240*230*500
K90	Blender	220V 50Hz	2.0kW	2.2L	6.3	240*230*500
1108A	Blender	220V 50Hz	2.0kW	2.2L	6	215*215*490
Q8	Blender	220V 50Hz	2.2kW	4.0L	5.18	220*230*570
K95	Blender	220V 50Hz	2.0kW	2.0L	4.1	180*180*500
TM-767	Blender	220V 50Hz	1.5kW	2.0L	3.65	180*220*500

Juice Dispenser



Model	Product Name	Voltage	Motor Power	N.W. (KG)	Size (mm)	Temp.Range
LSJ12L x1	12L Juice Dispenser	220V 50Hz	cold 180W hot 440W	21	410x350x660	cold 7-12°C hot 52-58°C
LSJ12L x2	2*12L Juice Dispenser	220V 50Hz	cold 280W hot 900W	25	410x410x700	cold 7-12°C hot 52-58°C
LSJ12L x3	3*12L Juice Dispenser	220V 50Hz	cold 320W hot 1200W	39	600x410x660	cold 7-12°C hot 52-58°C
LSJ18L x1	1*18L Juice Dispenser	220V 50Hz	cold 180W hot 600W	25	430x350x740	cold 7-12°C hot 52-58°C
LSJ18L x2	2*18L Juice Dispenser	220V 50Hz	cold 280W hot 600W	34	480x450x740	cold 7-12°C hot 52-58°C
LSJ18L x3	3*18L Juice Dispenser	220V 50Hz	cold 380W hot 600W	37	700x430x740	cold 7-12°C hot 52-58°C
LSJ25	25L Juice Dispenser	220V 50Hz	240W	19	380x420x740	7-12°C
LSJ25L-2	2*25L Juice Dispenser	220V 50Hz	350W	28	380x420x740	7-12°C

Slush Machine

HL112 (12L) ■ 12L Slush Machine **HL212 (12L*2)** ■ 12L*2 Slush Machine **HL312 (12L*3)** ■ 12L*3 Slush Machine **XRJ12L-1 (12L)** ■ 12L Slush Machine **XRJ12L-2 (12L*2)** ■ 12L*2 Slush Machine **XRJ12L-3 (12L*3)** ■ 12L*3 Slush Machine



Model	Product Name	Voltage	Power	Capacity	N.W.	Dimension(mm)
HL112	12L Slush Machine	220V 50Hz	570W	12L*1	30kg	260*550*790mm
HL212	12L*2 Slush Machine	220V 50Hz	900W	12L*2	42kg	400*550*790mm
HL312	12L*3 Slush Machine	220V 50Hz	1100W	12L*3	57kg	600*550*790mm

Model	Product Name	Voltage	Power	N.W.	Size(mm)	Temp. Range
XRJ12L-1	12L Slush Machine	220V 50Hz	500W	28kg	220*490*810	-2~-3°C
XRJ12L-2	12L*2 Slush Machine	220V 50Hz	600W	44kg	430*510*770	-2~-3°C
XRJ12L-3	12L*3 Slush Machine	220V 50Hz	800W	63kg	610*510*770	-2~-3°C

CH-5L (5L) ■ 5L Hot Chocolate Machine



CH-10L (10L) ■ 10L Hot Chocolate Machine



Model	Product Name	Voltage	Power	N.W.	Size(mm)	Temp. Range
CH-5L	5L Hot Chocolate Machine	220V 50Hz	400W	6kg	400*320*470	30~90°C
CH-10L	10L Hot Chocolate Machine	220V 50Hz	400W	7kg	400*320*570	30~90°C

Ice Cream Machine



Model	Product Name	Voltage	Power	Capacity	N.W.	Dimension(mm)
HL626T	Ice cream machine	220V 50Hz	2000W	25-28L/H	85kg	590*535*790
HL626	Ice cream machine	220V 50Hz	2000W	25-28L/H	100kg	590*535*1305



Ice Maker



Model	Product Name	Voltage	Power	Max Out Put	Ice Storage	Dimension(cm)
BY-80	One-Piece Ice Making Machine	220V 50Hz	395W	40kg/24h	25kg	530*590*860
BY-100	One-Piece Ice Making Machine	220V 50Hz	455W	50kg/24h	25kg	530*590*860
BY-120	One-Piece Ice Making Machine	220V 50Hz	495W	60kg/24h	25kg	530*590*860
BY-150	One-Piece Ice Making Machine	220V 50Hz	545W	70kg/24h	50kg	680*690*950
BY-200	One-Piece Ice Making Machine	220V 50Hz	630W	90kg/24h	50kg	680*690*950
BY-260	One-Piece Ice Making Machine	220V 50Hz	715W	115kg/24h	50kg	680*690*950
BY-300	Split Type Ice Making Machine	220V 50Hz	770W	130kg/24h	100kg	580*820*1560
BY-350	Split Type Ice Making Machine	220V 50Hz	810W	150kg/24h	100kg	580*820*1560
BY-420	Split Type Ice Making Machine	220V 50Hz	850W	180kg/24h	100kg	580*820*1600
BY-500	Split Type Ice Making Machine	220V 50Hz	950W	220kg/24h	200kg	780*820*1660
BY-700	Split Type Ice Making Machine	220V 50Hz	1150W	318kg/24h	200kg	780*820*1700
BY-1000	Split Type Ice Making Machine	220V 50Hz	1750W	450kg/24h	220kg	780*820*1960
BY-1200	Split Type Ice Making Machine	220V 50Hz	1950W	540kg/24h	220kg	780*820*1960
BY-1500	Split Type Ice Making Machine	220V 50Hz	2450W	680kg/24h	450kg	1260*840*1820
BY-1950	Split Type Ice Making Machine	220V 50Hz	2850W	860kg/24h	450kg	1260*840*1960

Bone Saw Machine



Model	J120	J280C	J210A
Item	Bone Saw	Bone Saw	Bone Saw
Voltage	220V 50Hz	220V 50Hz	220V 50Hz
Power	0.65kW	1.5kW	1.1kW
N.W.	34kg	40kg	53kg
Dimension(mm)	430*530*820	520*520*100	670*550*1050
Band Saw's Speed	15m/s	15m/s	15m/s
Wheel Diameter	130mm	210mm	210mm

Meat Mincer



Model	Product Name	Power	Voltage	Size(mm)	N.W.	Capacity	Speed
MC-12	Meat Mincer	220V	0.75kW	370*220*420	16.5kg	120kg/h	170RPM
MC-12S	Full S.S Meat Mincer	220V	0.75kW	370*220*420	16.5kg	120kg/h	170RPM
MC-22S	Full S.S Meat Mincer	220V	1.1kW	430*290*400	19kg	220kg/h	170RPM
MC-RY08	Full S.S Meat Mincer	220V	0.55kW	580*310*360	22kg	120kg/h	187RPM
MC-RY12	Full S.S Meat Mincer	220V	1.1kW	500*260*315	22.5kg	120kg/h	187RPM
MC-RY22	Full S.S Meat Mincer	220V	1.5kW	505*260*315	26.5kg	220kg/h	187RPM
MC-RY32	Full S.S Meat Mincer	220V	1.8kW	505*260*315	28.5kg	320kg/h	187RPM

Vegetable Cutter & Meat Slicer



Model	Product Name	Power	Voltage	Size(mm)	N.W.	Capacity
HLC-300	Vegetable Cutter	220V 50Hz	550W	565*295*565	22.2kg	-
HLC-300AL	Vegetable Cutter	220V 50Hz	550W	540*310*550	22.2kg	-
HBS-300A	Meat Slicer	220V 50Hz	250W	620*530*500	22.5kg	0.2-15mm
HBS-250A	Meat Slicer	220V 50Hz	150W	575*465*415	16.5kg	0.2-15mm
HBS-220B	Meat Slicer	220V 50Hz	120W	415*336*339	12kg	0.2-15mm
HBS-220JS	Meat Slicer	220V 50Hz	120W	520*420*380	12.3	0.2-12mm

Pressure Fryer



Model	Product Name	Voltage	Power	E.X. Size(cm)	Capacity
HPFG-800	Gas Pressure Fryer	380V 50Hz	160W	96*46*123	25L
HPFG-25	Gas Pressure Fryer	380V 50Hz	160W	96*46*123	25L
HPFE-800	Electric Pressure Fryer	380V 50Hz	13.5kW	96*46*123	25L
HPFE-24	Electric Pressure Fryer	380V 50Hz	13.5kW	96*46*123	24L

Cake Cream Machine



Model	Voltage	Power	N.W.	Disc Diameter	Suitable Size	Applicable Height	Dimension
CKM-12M-12	220V 50Hz	80W	26kg	36cm	4~12 inches	12cm	510*350*480
CMK-12M-18	220V 50Hz	60W	28kg	36cm	4~12 inches	18cm	550*410*580
CKM-16M-18	220V 50Hz	60W	28kg	50cm	4~16 inches	18cm	650*500*560

Rice Steamer



GAS Rice Steamer

Model	Machine Size
RS-G60X	700x580x1140
RS-G120X	700x580x1560
RS-G240X	1380x580x1560

Electric Rice Steamer

Model	Machine Size
RS-E60X	700x580x1140
RS-E120X	700x580x1560
RS-E240X	1380x580x1560

Head Gas Stove



HLWS-4K2-FT
■ 2 head open burner



Model	Product Name	Product dimension(mm)	Burner	Power	Gas Consumption	Burner type	Burner materia	N.W.
HLWS-2K1-FT	2 Head Open Burner	307x760x429	2	30000BTUx2 17.58kW	NG 1.578m³/hour LPG 0.6798m³/hour	US Type	Cast Iron	29.5kg
HLWS-4K2-FT	4 Head Open Burner	612x760x429	4	30000BTUx4 17.58kW	NG 3.156m³/hour LPG 1.3596m³/hour	US Type	Cast Iron	51kg
HLWS-6K3-FT	6 Head Open Burner	915x760x429	6	30000BTUx6 17.58kW	NG 4.735m³/hour LPG 2.0393m³/hour	US Type	Cast Iron	77kg

HLS-2
■ 2 head Gas burner



HLS-4
■ 4 head Gas burner



HLS-6
■ 6 head Gas burner



Model	Product Name	Power	Gas Consumption	Burner Materia	N.W.	Grate Size(mm)	Dimension(mm)
HLS-2	2 Head Gas Burner	25000BTUx2 17.58kW	NG 1.578m³/hour LPG 0.6798m³/hour	Cast Iron	42kg	300x300mm x2	300x690x350
HLS-4	4 Head Gas Burner	25000BTUx4 35.16kW	NG 3.156m³/hour LPG 1.3596m³/hour	Cast Iron	70kg	300x300mm x4	600x690x350
HLS-6	6 Head Gas Burner	25000BTUx6 52.75kW	NG 4.735m³/hour LPG 2.0393m³/hour	Cast Iron	99kg	300x300mm x6	900x690x350

Gas Charbroiler



HLERC-36K3-FT
■ 36" Gas Charbroiler



Model	Product Name	Power	Gas Consumption	N.W.	Grill plate	Dimension(mm)
HLERC-24K2-FT	24" Gas Charbroiler	30000BTUx4 23.44kW	NG 2.104m³/hour LPG 0.9064m³/hour	89.5kg	135x530mm x 4pcs	610x760x435
HLERC-36K3-FT	36" Gas Charbroiler	30000BTUx6 35.16kW	NG 3.156m³/hour LPG 1.3596m³/hour	124.5kg	135x530mm x6pcs	910x760x435
HLERC-48K4-FT	48" Gas Charbroiler	30000BTUx8 46.89kW	NG 4.209m³/hour LPG 1.8127m³/hour	174kg	135x530mm x8pcs	1210x760x435

HLRC-400
■ 14" Gas Charbroiler



HLRC-600
■ 24" Gas Charbroiler



HLRC-900
■ 36" Gas Charbroiler



HLRC-1200
■ 48" Gas Charbroiler



Model	Product Name	Power	Gas Consumption	Burner Materia	N.W.	Grate Size(mm)	Dimension(mm)
HLRC-400	14" Gas Charbroiler	30000BTUx1 8.79kW	NG 0.789m³/hour LPG 0.34m³/hour	Stainless Steel	31kg	150x470mm x1 100x470mm x1	404x633x405
HLRC-600	24" Gas Charbroiler	30000BTUx2 17.58kW	NG 1.578m³/hour LPG 0.6789m³/hour	Stainless Steel	43.5kg	150x470mm x4pcs	604x663x405
HLRC-900	36" Gas Charbroiler	30000BTUx3 26.37kW	NG 2.367m³/hour LPG 1.02m³/hour	Stainless Steel	65kg	150x470mm x6pcs	904x663x405
HLRC1200	48" Gas Charbroiler	30000BTUx4 35.16kW	NG 3.156m³/hour LPG 1.3596m³/hour	Stainless Steel	98kg	150x470mm x8pcs	1204x663x405

Gas Griddle



HLERG-48K4-FT
■ 48" Gas Griddle



Model	Product Name	Power	Gas Consumption	N.W.	Plate Thickness	Griddle Plate Size	Dimension(mm)
HLERG-24K2-FT	24" Gas Griddle	30000BTUx2 17.58kW	NG 1.578m³/hour LPG 0.6798m³/hour	90.5kg	1inch 25mm	606x564mm	610x760x430
HLERG-36K3-FT	36" Gas Griddle	30000BTUx3 26.37kW	NG 2.367m³/hour LPG 1.0197m³/hour	129.5kg	1inch 25mm	906x564mm	910x760x430
HLERG-48K4-FT	48" Gas Griddle	30000BTUx4 35.17kW	NG 3.156m³/hour LPG 1.36m³/hour	165kg	1inch 25mm	1206x564mm	1210x760x430

HLRG-400
■ 18" Gas Griddle



HLRG-600
■ 24" Gas Griddle



HLRG-900
■ 36" Gas Griddle



HLRG-1200
■ 48" Gas Griddle



Model	Product Name	Power	Gas Consumption	Burner Material	N.W.	Plate Thickness	Griddle Plate Size	Dimension(mm)
HLRG-400	18" Gas Griddle	30000BTUx1 8.79kW	NG 0.789m³/hour LPG 0.34m³/hour	Stainless Steel U Shape	44.5kg	16mm 5/8 inch	451.5x482mm	456x663x405
HLRG-600	24" Gas Griddle	30000BTUx2 17.58kW	NG 1.578m³/hour LPG 0.6798m³/hour	Stainless Steel U Shape	72kg	16mm 5/8 inch	599.5x482mm	604x663x405
HLRG-900	36" Gas Griddle	30000BTUx3 26.37kW	NG 2.367m³/hour LPG 1.02m³/hour	Stainless Steel U Shape	99kg	16mm 5/8 inch	899.5x482mm	904x663x405
HLRG-1200	48" Gas Griddle	30000BTUx4 35.17kW	NG 3.156m³/hour LPG 1.36m³/hour	Stainless Steel U Shape	126.5kg	16mm 5/8 inch	1199.5x482mm	1204x663x405

Gas Deep Fryer

HFRF-90B
■ 3 Burners Gas Deep Fryer



HFRF-120B
■ 4 Burners Gas Deep Fryer



HFRF-150B
■ 5 Burners Gas Deep Fryer



Model	Product Name	Power	Oil Capacity	Gas Consumption	N.W.	Temp. Setting	Dimension(mm)
HFRF-90B	3 Burners Gas Deep Fryer	30000x3BTU	18.5-23L	NG 2.367m³/hour LPG 1.02m³/hour	61kg	200°F to 400°F	394x759*1195
HFRF-120B	4 Burners Gas Deep Fryer	30000x4 BTU	21.3-25L	NG 3.156m³/hour LPG 1.36mm³/hour	66kg	200°F to 400°F	394x759*1195
HFRF-150B	5 Burners Gas Deep Fryer	30000x5 BTU	31-37L	NG 3.946m³/hour LPG 1.7m³/hour	75kg	200°F to 400°F	533x759*1195

Electric Fryer

HL-81 ELECTRIC FRYER

1-Tank 1-Basket 6 Liter Electric Fryer

Model	HL-81
Dimension (MM)	285x450x300
Package size (CM)	45x30x32
Temperature (°C)	50-200°C
Power(KW)	2.5
Voltage(V)	220
Weight (KG)	3.4

**HL-82** ELECTRIC FRYER

2-Tank 2-Basket 6 Liter Electric Fryer

Model	HL-82
Dimension (MM)	550x420x300
Package size (CM)	58x44x32
Temperature (°C)	50-200°C
Power(KW)	2.5+2.5
Voltage(V)	220
Weight (KG)	6.8

**HL-81A** ELECTRIC FRYER

1-Tank 1-Basket 6 Liter Electric Fryer

Model	HL-81A
Dimension (MM)	275x420x300
Package size (CM)	45x30x32
Temperature (°C)	50-200°C
Power(KW)	2.5
Voltage(V)	220
Weight (KG)	3.7

**HL-82A** ELECTRIC FRYER

2-Tank 2-Basket 6 Liter Electric Fryer

Model	HL-82A
Dimension (MM)	550x420x300
Package size (CM)	58x44x32
Temperature (°C)	50-200°C
Power(KW)	2.5+2.5
Voltage(V)	220
Weight (KG)	6.8

**HL-81D** ELECTRIC FRYER

1-Tank 1-Basket 6 Liter Electric Fryer with timer

Model	HL-81D
Dimension (MM)	275x420x300
Package size (CM)	45x30x32
Temperature (°C)	50-200°C
Power(KW)	2.5
Voltage(V)	220
Weight (KG)	3.8

**HL-82D** ELECTRIC FRYER

2-Tank 2-Basket 6 Liter Electric Fryer with timer

Model	HL-82D
Dimension (MM)	550x420x300
Package size (CM)	58x44x32
Temperature (°C)	50-200°C
Power(KW)	2.5+2.5
Voltage(V)	220
Weight (KG)	7

**HL-903** ELECTRIC FRYER

1-Tank 1-Basket 8 Liter Electric Fryer

Model	HL-903
Dimension (MM)	300x560x400
Package size (CM)	34x65x45
Temperature (°C)	50-200°C
Power(KW)	2.8
Voltage(V)	220
Weight (KG)	7.3

**HL-904** ELECTRIC FRYER

2-Tank 2-Basket 8 Liter Electric Fryer

Model	HL-904
Dimension (MM)	600x560x400
Package size (CM)	62x65x45
Temperature (°C)	50-200°C
Power(KW)	2.8+2.8
Voltage(V)	220
Weight (KG)	11.6

**HL-903L** ELECTRIC FRYER

1-Tank 1-Basket 8 Liter Electric Fryer

Model	HL-903L
Dimension (MM)	330x600x430
Package size (CM)	65x36x45
Temperature (°C)	50-200°C
Power(KW)	4.5
Voltage(V)	220
Weight (KG)	10

**H-904L** ELECTRIC FRYER

2-Tank 2-Basket 8 Liter Electric Fryer

Model	HL-904
Dimension (MM)	650x600x430
Package size (CM)	68x65x45
Temperature (°C)	50-200°C
Power(KW)	4.5+4.5
Voltage(V)	220
Weight (KG)	17.6

**HL-20L** ELECTRIC FRYER

1-Tank 1-Basket 12 Liter Electric Fryer

Model	HL-20L
Dimension (MM)	530x590x390
Package size (CM)	56x62x41
Temperature (°C)	50-200°C
Power(KW)	5
Voltage(V)	220
Weight (KG)	14

**HL-17L** ELECTRIC FRYER

1-Tank 1-Basket 10 Liter Electric Fryer

Model	HL-17L
Dimension (MM)	550x510x410
Package size (CM)	62x55x45
Temperature (°C)	50-200°C
Power(KW)	4
Voltage(V)	220
Weight (KG)	13

**HL-30L** ELECTRIC FRYER

2-Tank 2-Basket 12 Liter Electric Fryer

Model	HL-30L
Dimension (MM)	580x610x410
Package size (CM)	61x64x43
Temperature (°C)	50-200°C
Power(KW)	6
Voltage(V)	220
Weight (KG)	16.1

**HL-10L** ELECTRIC FRYER

1-Tank 1-Basket 10 Liter Electric Fryer

Model	HL-10L
Dimension (MM)	480x310x310
Package size (CM)	51x33x33
Temperature (°C)	50-200°C
Power(KW)	3.25
Voltage(V)	220
Weight (KG)	7

**HL-8L** ELECTRIC FRYER

1-Tank 1-Basket 8 Liter Electric Fryer

Model	HL-8L
Dimension (MM)	270x420x370
Package size (CM)	44x29x35
Temperature (°C)	50-200°C
Power(KW)	3.25
Voltage(V)	220
Weight (KG)	5.5

**HL-8L-2** ELECTRIC FRYER

2-Tank 2-Basket 8 Liter Electric Fryer

Model	HL-8L-2
Dimension (MM)	270x540x370
Package size (CM)	56x29x35
Temperature (°C)	50-200°C
Power(KW)	3.25+3.25
Voltage(V)	220
Weight (KG)	10

**HL-11L** ELECTRIC FRYER

1-Tank 1-Basket 11 Liter Electric Fryer

Model	HL-11L
Dimension (MM)	470x330x400
Package size (CM)	50x37x37
Temperature (°C)	50-200°C
Power(KW)	3.5
Voltage(V)	220
Weight (KG)	7.5

**HL-11L-2** ELECTRIC FRYER

2-Tank 2-Basket 11 Liter Electric Fryer

Model	HL-11L-2
Dimension (MM)	450x660x400
Package size (CM)	47x68x37
Temperature (°C)	50-200°C
Power(KW)	3.5+3.5
Voltage(V)	220
Weight (KG)	14.5

**HL-18** ELECTRIC FRYER

1-Tank 1-Basket 12 Liter Electric Fryer

Model	HL-18
Dimension (MM)	340x640x330
Package size (CM)	66x37x34
Temperature (°C)	50-200°C
Power(KW)	3
Voltage(V)	220
Weight (KG)	5.2

**HL-18A** ELECTRIC FRYER

1-Tank 1-Basket 12 Liter Electric Fryer

Model	HL-18A
Dimension (MM)	350x650x290
Package size (CM)	66x37x34
Temperature (°C)	50-200°C
Power(KW)	3
Voltage(V)	220
Weight (KG)	6

**HL-131V** ELECTRIC FRYER

1-Tank 1-Basket 13 Liter Electric Fryer with oil tap

Model	HL-131V
Dimension (MM)	310x480x360
Package size (CM)	35x56x43
Temperature (°C)	50-200°C
Power(KW)	3.25
Voltage(V)	220
Weight (KG)	7.5

**HL-132V** ELECTRIC FRYER

2-Tank 2-Basket 13 Liter Electric Fryer with oil tap

Model	HL-132V
Dimension (MM)	630x480x360
Package size (CM)	67x56x43
Temperature (°C)	50-200°C
Power(KW)	3.25+3.25
Voltage(V)	220
Weight (KG)	14.7



Gas Fryer

**HL-71** GAS FRYER

1-Tank 1-Basket 6 Liter Gas Fryer

Model	HL-71
Dimension (MM)	500x310x440
Package size (CM)	54x35x48
Temperature (°C)	-
Power(KW)	2800P
Voltage(V)	gas
Weight (KG)	6.8

**HL-72** GAS FRYER

2-Tank 2-Basket 6 Liter Gas Fryer

Model	HL-72
Dimension (MM)	500x560x440
Package size (CM)	61x54x48
Temperature (°C)	-
Power(KW)	2800P
Voltage(V)	gas
Weight (KG)	13.5

Griddle Series

Electric Griddle

**HL-818** **HL-818A** Electric Griddle

Electric Griddle

Model	HL-818	HL-818A
Dimension (MM)	550x400x210	540x370x210
Package size (CM)	64x49x27	64x49x27
Temperature (°C)	50-300°C	50-300°C
Power(KW)	3	3
Voltage(V)	220	220
Weight (KG)	17	15

**HL-820** Electric Griddle

Electric Griddle

Model	HL-820
Dimension (MM)	730x460x210
Package size (CM)	76x59x22
Temperature (°C)	50-300°C
Power(KW)	4.4
Voltage(V)	220
Weight (KG)	25.5

**HL-820.** Electric Griddle

Electric griddle full flat

Model	HL-820.
Dimension (MM)	730x490x250
Package size (CM)	80x59x30
Temperature (°C)	50-300°C
Power(KW)	4.4
Voltage(V)	gas
Weight (KG)	26

**HL-818.** Electric Griddle

Electric griddle full flat

Model	HL-818.
Dimension (MM)	550x430x250
Package size (CM)	60x53x30
Temperature (°C)	50-300°C
Power(KW)	3
Voltage(V)	gas
Weight (KG)	17.5

Gas Griddle

**HL-718** **HL-788** Gas Griddle

Gas Griddle

Model	HL-718	HL-788
Dimension (MM)	550x460x340	540x430x340
Package size (CM)	58x52x34	58x48x34
Temperature (°C)	-	-
Power(KW)	2800P	2800P
Voltage(V)	gas	gas
Weight (KG)	18	15

**HL-720** **HL-722** Gas Griddle

Gas Griddle/half-grooved Gas Griddle

Model	HL-720	HL-722
Dimension (MM)	730x530x340	730x530x340
Package size (CM)	77x56x34	77x56x34
Temperature (°C)	-	-
Power(KW)	2800P	2800P
Voltage(V)	gas	gas
Weight (KG)	24	24.5

**HL-730** Gas Griddle

Gas Griddle

Model	HL-730
Dimension (MM)	730x530x340
Package size (CM)	77x56x34
Temperature (°C)	-
Power(KW)	2800P
Voltage(V)	liquid gas
Weight (KG)	25

**HL-36** Gas Griddle

Gas Griddle

Model	HL-36
Dimension (MM)	900x700x460
Package size (CM)	93x72x36
Temperature (°C)	-
Power(KW)	2800P
Voltage(V)	liquid gas
Weight (KG)	75

Crepe Maker

**HL-01** Crepe Maker

Electric 1-Plate Crepe Maker

Model	HL-01
Dimension (MM)	480x450x240
Package size (CM)	53x50x26
Temperature (°C)	50-300°C
Power(KW)	3
Voltage(V)	220
Weight (KG)	14.5

**HL-01C** Crepe Maker

Gas 1-Plate Crepe Maker

Model	HL-01C
Dimension (MM)	480x450x240
Package size (CM)	53x50x26
Temperature (°C)	-
Power(KW)	2800P
Voltage(V)	liquid gas
Weight (KG)	13

**HL-02** Crepe Maker

Electric 2-Plate Crepe Maker

Model	HL-02
Dimension (MM)	880x500x240
Package size (CM)	95x53x26
Temperature (°C)	50-300°C
Power(KW)	3+3
Voltage(V)	220
Weight (KG)	28

**HL-02C** Crepe Maker

Gas 2-Plate Crepe Maker

Model	HL-02C
Dimension (MM)	880x500x240
Package size (CM)	95x53x26
Temperature (°C)	-
Power(KW)	2800P
Voltage(V)	liquid gas
Weight (KG)	17

Electric Contact Grill

**HL-811A** Electric Contact Grill

Electric Contact Grill

Model	HL-811A
Dimension (MM)	370x300x240
Package size (CM)	45x37x27
Temperature (°C)	50-300°C
Power(KW)	1.8
Voltage(V)	220
Weight (KG)	12.5

**HL-811C** Electric Contact Grill

Electric Contact Grill (flat)

Model	HL-811C
Dimension (MM)	370x300x240
Package size (CM)	45x37x27
Temperature (°C)	50-300°C
Power(KW)	1.8
Voltage(V)	220
Weight (KG)	12.5

**HL-812A** Electric Contact Grill

Electric Contact Grill

Model	HL-812A
Dimension (MM)	430x370x240
Package size (CM)	49x45x27
Temperature (°C)	50-300°C
Power(KW)	2.2
Voltage(V)	220
Weight (KG)	16.5

**HL-812B** Electric Contact Grill

Electric Contact Grill

Model	HL-812B
Dimension (MM)	430x370x240
Package size (CM)	49x45x27
Temperature (°C)	50-300°C
Power(KW)	2.2
Voltage(V)	220
Weight (KG)	16.5

**HL-813A** Electric Contact Grill

Double Electric Contact Grill

Model	HL-813A
Dimension (MM)	560x370x240
Package size (CM)	65x45x27
Temperature (°C)	50-300°C
Power(KW)	1.8+1.8
Voltage(V)	220
Weight (KG)	23

**HL-813B** Electric Contact Grill

Double Electric Contact Grill (full flat)

Model	HL-813B
Dimension (MM)	560x370x240
Package size (CM)	65x45x27
Temperature (°C)	50-300°C
Power(KW)	1.8+1.8
Voltage(V)	220
Weight (KG)	23

**HL-813E** Electric Contact Grill

Double Electric Contact Grill (full grooved)

Model	HL-813E
Dimension (MM)	820x370x240
Package size (CM)	88x45x27
Temperature (°C)	50-300°C
Power(KW)	2.2+2.2
Voltage(V)	220
Weight (KG)	32

Electric Bain Marie with glass

HL-3 Bain Marie

3-head Electric Bain Marie with glass

Model	HL-3
Dimension (MM)	900x350x310
Package size (CM)	94x38x35
Temperature (°C)	30-85°C
Power(KW)	1.5
Voltage(V)	220
Weight (KG)	-



HL-4 Bain Marie

4-head Electric Bain Marie with glass

Model	HL-4
Dimension (MM)	1200x350x310
Package size (CM)	124x38x35
Temperature (°C)	30-85°C
Power(KW)	1.5
Voltage(V)	220
Weight (KG)	-



HL-5 Bain Marie

5-head Electric Bain Marie with glass

Model	HL-5
Dimension (MM)	1500x350x310
Package size (CM)	154x38x35
Temperature (°C)	30-85°C
Power(KW)	1.5
Voltage(V)	220
Weight (KG)	-



Food display warmer

HL-500 HL-600 Food display warmer

Food display warmer

Model	HL-500	HL-600
Dimension (MM)	400x400x750	500x500x850
Package size (CM)	52x46x81	62x56x91
Temperature (°C)	30-110°C	30-110°C
Power(KW)	1.5	1.5+1.5
Voltage(V)	220	220
Weight (KG)	24	28



Snack & Grill Equipment Series

Fishball Grill

HL-76A Fishball Grill

1-Head Electric Fishball Grill

Model	HL-76A
Dimension (MM)	255x455x180
Package size (CM)	54x31x23
Temperature (°C)	50-300°C
Power(KW)	2
Voltage(V)	220
Weight (KG)	3.7



HL-77A Fishball Grill

1-Head Gas Fishball Grill

Model	HL-77A
Dimension (MM)	255x455x180
Package size (CM)	54x31x23
Temperature (°C)	-
Power(KW)	liquid gas
Voltage(V)	2800P
Weight (KG)	3.7



HL-767 Fishball Grill

2-Head Electric Fishball Grill

Model	HL-767
Dimension (MM)	450x455x200
Package size (CM)	54x31x23
Temperature (°C)	50-300°C
Power(KW)	4
Voltage(V)	220
Weight (KG)	6.6



HL-777 Fishball Grill

2-Head Gas Fishball Grill

Model	HL-777
Dimension (MM)	465x475x210
Package size (CM)	53x52x23
Temperature (°C)	-
Power(KW)	liquid gas
Voltage(V)	2800P
Weight (KG)	6.1



Waffle Baker Series

HL-1F Waffle Baker

1-Plate Heart-shape Waffle Baker

Model	HL-1F
Dimension (MM)	510x350x250
Package size (CM)	53x41x30
Temperature (°C)	50-300°C
Power(KW)	2
Voltage(V)	220
Weight (KG)	11.5



HL-208D Waffle Maker

Lolly Waffle Maker

Model	HL-208D
Dimension (MM)	300x430x240
Package size (CM)	47x35x26
Temperature (°C)	50-300°C
Power(KW)	2
Voltage(V)	220
Weight (KG)	11



HL-10 Waffle Baker

10-grid Waffle Baker

Model	HL-10
Dimension (MM)	380x370x240
Package size (CM)	44x41x26
Temperature (°C)	50-300°C
Power(KW)	1.6
Voltage(V)	220
Weight (KG)	10



HL-2 Waffle Baker

2-Plate rotate Waffle Baker

Model	HL-2
Dimension (MM)	500x410x280
Package size (CM)	56x45x30
Temperature (°C)	50-300°C
Power(KW)	1.2+1.2
Voltage(V)	220
Weight (KG)	10



HL-2E Waffle Baker

2-Plate Waffle Baker

Model	HL-2E
Dimension (MM)	500x410x280
Package size (CM)	56x45x30
Temperature (°C)	50-300°C
Power(KW)	1.2+1.2
Voltage(V)	220
Weight (KG)	10



HL-QQ-11 Egg Waffle Maker

egg waffle maker

Model	HL-QQ-11
Dimension (MM)	220x360x280
Package size (CM)	49x30x32
Temperature (°C)	50-300°C
Power(KW)	1.4
Voltage(V)	220
Weight (KG)	5.5



HL-1E Waffle Baker

1-Plate Waffle Baker

Model	HL-1E
Dimension (MM)	510x350x250
Package size (CM)	53x41x30
Temperature (°C)	50-300°C
Power(KW)	2
Voltage(V)	220
Weight (KG)	11.3



HL-5R Waffle Maker

5-Stick Hot Dog Waffle Maker

Model	HL-5R
Dimension (MM)	335x310x240
Package size (CM)	41x38x32
Temperature (°C)	50-300°C
Power(KW)	1.5
Voltage(V)	220
Weight (KG)	7.1



HL-10A-D Waffle Baker

4-grid Waffle Baker

Model	HL-10A-D
Dimension (MM)	300x430x240
Package size (CM)	47x35x26
Temperature (°C)	50-300°C
Power(KW)	2
Voltage(V)	220
Weight (KG)	11



HL-2H Waffle Baker

2-grid Waffle Baker

Model	HL-2H
Dimension (MM)	360x300x270
Package size (CM)	39x33x30
Temperature (°C)	50-300°C
Power(KW)	2
Voltage(V)	220
Weight (KG)	9



HL-204-2 Waffle Baker

2-Plate Heart-shape Waffle Baker

Model	HL-204-2
Dimension (MM)	500x410x280
Package size (CM)	56x45x30
Temperature (°C)	50-300°C
Power(KW)	1.2+1.2
Voltage(V)	220
Weight (KG)	10



Cone Baker

HL-1D Cone Baker

1-Plate Cone Baker

Model	HL-1D
Dimension (MM)	250x350x250
Package size (CM)	39x27x30
Temperature (°C)	50-300°C
Power(KW)	1
Voltage(V)	220
Weight (KG)	5.8



Crispy Machine



HL-25A Crispy Machine

25-hole Crispy Machine

Model	HL-25A
Dimension (MM)	300x430x240
Package size (CM)	47x35x26
Temperature (°C)	50-300°C
Power(KW)	1.7
Voltage(V)	220
Weight (KG)	12



HL-25B Crispy Machine

25-hole Crispy Machine (up and down)

Model	HL-25B
Dimension (MM)	300x430x240
Package size (CM)	47x35x26
Temperature (°C)	50-300°C
Power(KW)	1.7
Voltage(V)	220
Weight (KG)	10

HL-50A Crispy Machine

50-hole Crispy Machine

Model	HL-50A
Dimension (MM)	600x300x190
Package size (CM)	65x38x22
Temperature (°C)	50-300°C
Power(KW)	1.7
Voltage(V)	220
Weight (KG)	10



HL-05B Crispy Machine

Plum Crispy Machine

Model	HL-05B
Dimension (MM)	330x370x240
Package size (CM)	41x38x26
Temperature (°C)	50-300°C
Power(KW)	1.6
Voltage(V)	220
Weight (KG)	9

Egg Tart Maker



HL-28 egg tart maker

egg tart maker

Model	HL-28
Dimension (MM)	380x370x240
Package size (CM)	44x41x26
Temperature (°C)	50-300°C
Power(KW)	1.6
Voltage(V)	220
Weight (KG)	12

Donut Maker



HL-5T HL-6T Donut Maker

Donut Maker

Model	HL-5T	HL-6T
Dimension(MM)	335x310x240	385x310x240
Package size(CM)	41x38x32	42x40x32
Temperature(°C)	50-300°C	50-300°C
Power(KW)	1.5	1.5
Voltage(V)	220	220
Weight (KG)	7.1	8.4

Popcorn Machine



HL-05C Popcorn Machine

Electric Popcorn Machine with cart

Model	HL-05C
Dimension (MM)	740x320x1500
Package size (CM)	79x37x155
Temperature (°C)	-
Power(KW)	1.4
Voltage(V)	220
Weight (KG)	29



HL-08C Popcorn Machine

Electric Popcorn Machine with cart

Model	HL-08C
Dimension (MM)	740x320x1470
Package size (CM)	79x37x155
Temperature (°C)	-
Power(KW)	1.4
Voltage(V)	220
Weight (KG)	29



HL-802 Popcorn Machine

Electric Popcorn Machine

Model	HL-802
Dimension (MM)	560x410x750
Package size (CM)	59x44x82
Temperature (°C)	-
Power(KW)	1.4
Voltage(V)	220
Weight (KG)	16



HL-803 Popcorn Machine

Electric Popcorn Machine

Model	HL-803
Dimension (MM)	500x360x690
Package size (CM)	54x40x76
Temperature (°C)	-
Power(KW)	1.4
Voltage(V)	220
Weight (KG)	15

Cone Baker



HL-03 Candy Floss Machine

Electric Candy Floss Machine

Model	HL-03
Dimension (MM)	440x440x500
Package size (CM)	47x47x53
Temperature (°C)	50-300°C
Power(KW)	1
Voltage(V)	220
Weight (KG)	11


Electric Salamander



HL-936 Electric Salamander

Electric Salamander

Model	HL-936
Dimension (MM)	610x310x280
Package size (CM)	66x35x31
Temperature (°C)	50-300°C
Power(KW)	2
Voltage(V)	220
Weight (KG)	11



HL-937 Electric Salamander

Electric Salamander

Model	HL-937
Dimension (MM)	790x450x490
Package size (CM)	84x49x52
Temperature (°C)	50-300°C
Power(KW)	4
Voltage(V)	220
Weight (KG)	23

Shawarma Machine



HL-90 Shawarma Machine

Electric Shawarma Machine

Model	HL-90
Dimension (MM)	500x650x900
Package size (CM)	54x68x90
Temperature (°C)	50-300°C
Power(KW)	7.8
Voltage(V)	220
Weight (KG)	15



HL-92 Shawarma Machine

Gas Shawarma Machine

Model	HL-92
Dimension (MM)	500x650x1100
Package size (CM)	54x68x113
Temperature (°C)	50-300°C
Power(KW)	2800P
Voltage(V)	liquid gas
Weight (KG)	15

Fried Chicken & Hamburger Equipment Series

Food Display Warmer



HL-2x2 Food Display Warmer

Hot air Food Display Warmer

Model	HL-2x2
Dimension (MM)	700x640x740
Package size (CM)	76x67x73
Temperature (°C)	30-85°C
Power(KW)	0.8
Voltage(V)	220
Weight (KG)	24



HL-2x3 Food Display Warmer

Hot air Food Display Warmer

Model	HL-2x3
Dimension (MM)	1100x640x740
Package size (CM)	113x67x73
Temperature (°C)	30-85°C
Power(KW)	1.5
Voltage(V)	220
Weight (KG)	34



HL-2x4 Food Display Warmer

Hot air Food Display Warmer

Model	HL-2x4
Dimension (MM)	1200x640x740
Package size (CM)	123x67x73
Temperature (°C)	30-85°C
Power(KW)	1.5
Voltage(V)	220
Weight (KG)	37



HL-6P Food Display Warmer

Moisturizing Food Display Warmer

Model	HL-6P
Dimension (MM)	1500x770x860
Package size (CM)	153x79x87
Temperature (°C)	30-85°C
Power(KW)	2.4
Voltage(V)	220
Weight (KG)	53



HL-3-1 Food Display Warmer

Trapezoid Food Display Warmer (3 IN 1)

Model	HL-3-1
Dimension (MM)	1500x570x940
Package size (CM)	153x60x97
Temperature (°C)	30-85°C
Power(KW)	2
Voltage(V)	220
Weight (KG)	60



HL-60-1 Food Display Warmer

Moisturizing Food Display Warmer

Model	HL-60-1
Dimension (MM)	660x437x640
Package size (CM)	69x47x67
Temperature (°C)	30-85°C
Power(KW)	1.8
Voltage(V)	220
Weight (KG)	28



HL-1P Food Display Warmer

Curved Glass food display warmer

Model	HL-1P
Dimension (MM)	355x425x485
Package size (CM)	39x48x51
Temperature (°C)	30-85°C
Power(KW)	0.85
Voltage(V)	220
Weight (KG)	16



HL-2P Food Display Warmer

Curved Glass food display warmer

Model	HL-2P
Dimension (MM)	665x500x620
Package size (CM)	72x52x64
Temperature (°C)	30-85°C
Power(KW)	0.85
Voltage(V)	220
Weight (KG)	17



HL-2P-1 Food Display Warmer

Curved Glass food display warmer

Model	HL-2P-1
Dimension (MM)	360x460x620
Package size (CM)	42x48x64
Temperature (°C)	30-85°C
Power(KW)	0.85
Voltage(V)	220
Weight (KG)	11



HL-3P Food Display Warmer

Curved Glass food display warmer

Model	HL-3P
Dimension (MM)	960x460x620
Package size (CM)	99x49x65
Temperature (°C)	30-85°C
Power(KW)	1.2
Voltage(V)	220
Weight (KG)	32



HL-580 Food Display Warmer

Food Display Warmer

Model	HL-580
Dimension (MM)	640x360x530
Package size (CM)	67x40x56
Temperature (°C)	30-85°C
Power(KW)	1
Voltage(V)	220
Weight (KG)	31

Chips Warmer



HL-VF-6 HL-VF-8 Chips warmer

Counter Top Potato Chips Display Warmer

Model	HL-VF-6	HL-VF-8
Dimension(MM)	600x700x670	800x700x670
Package size(CM)	74x64x68	74x84x68
Temperature(°C)	-	-
Power(KW)	0.8	0.8
Voltage(V)	220	220
Weight (KG)	24	27



HL-VF-10 Chips warmer

Pedestal Potato Chips Display Warmerr

Model	HL-VF-10
Dimension (MM)	1000x700x1540
Package size (CM)	103x73x157
Temperature (°C)	-
Power(KW)	1
Voltage(V)	220
Weight (KG)	59

Hamburger Machine



HL-212 HL-211 hamburger machine

two layer hamburger machine

Model	HL-212	HL-211
Dimension(MM)	390x660x280	390x430x280
Package size(CM)	73x45x35	48x45x27
Temperature(°C)	50-300°C	50-300°C
Power(KW)	2	0.8
Voltage(V)	220	220
Weight (KG)	18	12