

红菱设备 | 烘焙至专
BAKERY EQUIPMENT EXPERT

■ GUANGZHOU HONGLING ELECTRIC HEATING EQUIPMENT CO.,LTD
广州红菱电热设备有限公司

■ GUANGZHOU GUANGLING KITCHEN EQUIPMENT CO.,LTD
广州市广菱厨具设备有限公司

Address: No.32, Helong Road, Baiyun District, Guangzhou 510425 China
Address: No.63-2, Road 7, Central village, Renhe Town, Baiyun District, Guangzhou 510470 China

Tel: +86-20-36366335 Fax: +86-20-36366335
Web: www.gzhldr.com
<http://hongling18.en.made-in-china.com>
<https://guangzhouhongling.en.alibaba.com>



Official Website



Made-in-China



Alibaba



These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages due to the printing process; the actual products may differ from those pictures. For true matching purposes please refer to HONGLING chip samples.

Hongling

PROFESSIONAL BAKERY
EQUIPMENT FOR 45 YEARS


专业烘焙设备 45年 (2024.11)
红菱设备 | 烘焙至专



UHL

红菱


PROFESSIONAL BAKING EQUIPMENT FOR 40+ YEARS



■ GUANGZHOU HONGLING ELECTRIC HEATING EQUIPMENT CO.,LTD ■
■ GUANGZHOU GUANGLING KITCHEN EQUIPMENT CO.,LTD ■



PROFESSIONAL BAKING EQUIPMENT FOR 40+ YEARS



ABOUT HONGLING

Established in 1979.

Guangzhou Hongling was established in 1979, with more than 43 years experiences of manufacturing technology. Forming a management system integrating R&D, design, production and sales.

We always insist the business tenet of "Quality First and Customer-Oriented". The team has senior engineers, engineers, technicians and other professionals of the R&D staff. The factory occupies 15,000 square meters workshop and there are 200 employees that the company has strong OEM/ODM capabilities.

Guangzhou Hongling professional in R & D, manufacturing and sales tunnel oven, rotary oven, electric oven, gas oven, pizza oven, electric steamer proofer, spiral mixer, planetary mixer, dough divider, dough sheeter up to 180 different ancillary products, annual sales more than 80,000 units. Some products received CE, UL, ISO9001 quality system certification. The company is committed to providing professional complete range of bakery equipment for bakers from all over the world.

In the recent years, we make great progress. It is committed to remodeling baking supreme brand image, the introduction of a variety of automatic advanced production equipment such as: large laser cutting machine; computer-controlled CNC punching machine, bending machine; CNC gas burner drilling machine, etc. So the key components production become more and more standardized and precise, and ensure the quality of the product increasing continually.

With the innovative, pragmatic, pioneering enterprise spirit, and the integrity service concept, Guangzhou Hongling brand products have sold to more than 80 countries in Europe, Middle East, Southeast Asia, Africa. And the company has more than 180 distribution agents at domestic market, sold to more than 80 cities in China.



关于红菱

广州红菱电热设备有限公司，于1979年开始生产《红菱牌》系列食品烘焙设备，系全国最早生产食品机械的企业之一。

至今红菱公司拥有超过43年的研发、生产和销售经验。技术力量雄厚，生产设备和检测设备齐全，不断引进如数控激光切割机、数控冲床、数控折弯机、数控钻孔机、数控焊接机械手等先进设备。80年代从欧洲瑞典引进“康泰尔”先进发热管生产线，使红菱牌电热烘炉拥有发热元器件生产制造核心技术，一度引领市场的技术发展方向成为行业标杆。

历年来，红菱公司产品荣获“广州市优质产品”殊荣，先后被中国食品工业协会授予“中国烘焙十大设备企业”，中国焙烤食品糖制品工业协会授予“中国改革开放四十年焙烤食品糖制品产业优秀企业”，“突出贡献奖”。还获得如厨具业“百强企业”“广东省烘焙行业杰出企业”，“广东省烘焙企业百强”“广东省烘焙企业十强”。连续35年被评为“广东省守合同重信用企业”。

公司始终坚持质量第一，客户至上的生产和服务宗旨，成立由资深专业工程技术人员组成的研发团队，研发适合烘焙食品行业需要的系列产品（包括远红外电烤炉、燃气烤炉、热风旋转炉、隧道炉、醒发箱、多功能电热锅、肉类烧烤炉、和面机、搅拌机、开酥机、电热蒸炉等十三大系列一百多个型号产品）。现有公司员工200多人，车间面积2万余平方米，生产产品销往全国各地及全球60多个国家，越来越多产品获得欧盟CE和北美UL&ETL质量认证。


凭着创新、务实、开拓的企业精神，诚信为本的服务理念，红菱公司将继续提供优质产品，为全社会服务。

品质源于专业，诚信铸就品牌，广州红菱期待与你共创未来。



Contents 目录

Rotary Rack Oven	09-10
热风旋转炉	
Convection Oven	11-13
热风循环炉	
Gas Deck Oven	14-18
燃气层式烤箱	
Luxury Electric Oven	19-20
层叠式豪华电热烘炉	
Electric Deck Oven	21-24
远红外电热烤箱	
Pizza Oven	25-26
层式披萨烤箱	
Conveyor Pizza Oven	27-28
履带式披萨炉	
Proofer	29-32
面团醒发箱	
Spiral Mixer	33-37
和面机	
Food Mixer	38
食品搅拌机	
Planetary Mixer	39-42
食品搅拌机	
Dough Sheeter	45-46
起酥机	
Bread Slicer	47-48
切片机	
Divider and Moulder	49-50
烘焙机械	
Pizza Dough Roller	51
披萨压面机	
Rice Steamer	52
蒸饭车	
Pressure Fryer	53
压力炸炉	
Working Table	54
工作台	
Meat Mincer	55
绞肉机	
Baking Tray and Trolley	56-58
烤盘/饼盘车	



Honor and Qualification




- The First Bakery Oven Manufacturer in China Since 1979.
- ISO9001 Quality System Certification for 22 Consecutive Years
- “Credit Excellent Enterprise” for 22 Consecutive Years



CERTIFICATION





Electric Heater Production Line was Imported From Sweden in 1985.
The only and one oven factory whom make the heater by itself.



Heater Manufacturing Technology

Since the introduction of a new production line for infra heater in 1985 HONGLING Oven has received high praise from the market for its excellent performance. Advanced technology and techniques ensure that the heating tubes have a lifespan of 10 years or more, making HONGLING Bakery Equipment the preferred choice



CNC Laser Cutting Machine (3x)



Omada Bending Machine (3x)



Gas Burner CNC Drilling Machine (5x)



CNC Welding Machine (6x)



CNC Punching Machine (3x)



CNC Bending Machine (4x)





Japan & France
Electronic Component



Olympia Burner (Japan Brand)



Full Stainless Steel #201

Model	Item	Voltage	Power	N.W. (KG)	Dimension(mm)
HX-16D-01	16-Tray Electric Rotary Oven	380V 50Hz 3N	38.7kW/h	1400	2325x1420x2440
HX-16Y-01	16-Tray Diesel Rotary Oven	380V 50Hz 3N	2.8kW/h	1400	2325x1420x2440
HX-16Q-01	16-Tray Gas Rotary Oven	380V 50Hz 3N	2.8kW/h	1400	2325x1420x2440
HX-32D-01	32-Tray Electric Rotary Oven	380V 50Hz 3N	50.7kW/h	1800	2605x1680x2440
HX-32Y-01	32-Tray Diesel Rotary Oven	380V 50Hz 3N	2.8kW/h	1800	2605x1680x2440
HX-32Q-01	32-Tray Gas Rotary Oven	380V 50Hz 3N	2.8kW/h	1800	2605x1680x2440

Model	Item	Voltage	Power	N.W. (KG)	Dimension(mm)
HX-64D-01	64-Tray Electric Rotary Oven	380V 50Hz 3N	76kW/h	2100	2800*2600*2500
HX-64Y-01	64-Tray Diesel Rotary Oven	380V 50Hz 3N	6.8kW/h	2100	2800*2600*2500
HX-64Q-01	64-Tray Gas Rotary Oven	380V 50Hz 3N	6.8kW/h	2100	2800*2600*2500



HECO-1A
■ Tray Convection Oven



HECO-4A
■ Tray Convection Oven



Gasket 3 Years Warranty Full Stainless Steel Inside Double Door Locker Micro-computer Panel

Model	Item	Voltage	Power	N.W. (KG)	Dimension(mm)	Remark
RX-5D-NS	5-Tray Electric Convection Oven	380V 50Hz 3N	9.5kW/h	150	2325x1420x2440	With Steam function
RX-5Q-NS	5-Tray Gas Convection Oven	220V 50Hz	0.55kW/h	180	2325x1420x2440	With Steam function
RX-10D-NS	10-Tray Electric Convection Oven	380V 50Hz 3N	19kW/h	280	2325x1420x2440	With Steam function
RX-10Q-NS	10-Tray Gas Convection Oven	220V 50Hz	1.1kW/h	310	2605x1680x2440	With Steam function



Model	Item	Voltage	Power	NW(KG)	Chamber size(mm)	Temperature Range	Steam Function	Baking tray size
HECO-1A	Tray Convection Oven	220-240V 50Hz	2.5KW	40	460x373x358	Rt-300°C	No	320*440 mm
HECO-4A	Tray Convection Oven	220-240V 50Hz	2.67KW	40	460x373x358	Rt-300°C	Yes	320*440 mm

RX-5Q (Gas) RX-5D (Electric)
■ 5-Tray Convection Oven



RX-10Q (Gas) RX-10D (Electric)
■ 10-Tray Convection Oven



8-Tray(400x600/460x720mm) are Optional



Durable Circulating Motor



Full Stainless Steel Body



With Steaming Function
and Adjustable Wind Gap & Hole



Double Buckle Locker

Model	Item	Voltage	Power	N.W.(KG)	Dimension(mm)	Remark
RX-5D	5-Tray Electric Convection Oven	380V 50Hz 3N	9.5kW/h	167	1420x1070x970	With Steam function
RX-5Q	5-Tray Gas Convection Oven	220V 50Hz	0.55kW/h	190	1480x1070x960	With Steam function
RX-10D	10-Tray Electric Convection Oven	380V 50Hz 3N	19kW/h	295	1420x1040x1580	With Steam function
RX-10Q	10-Tray Gas Convection Oven	220V 50Hz	1.1kW/h	315	1480x1070x1580	With Steam function


HLY-MS102
■ 1-Deck 2-Tray Gas Oven



HLY-MS204
■ 2-Deck 4-Tray Gas Oven



HLY-MS306
■ 3-Deck 6-Tray Gas Oven



Model	Item	Voltage	Power	N.W.(KG)	Dimension(mm)
HLY-MS102	1-Deck 2-Tray Gas Oven	220V 50Hz	75W	216	1360x1130x1020
HLY-MS204	2-Deck 4-Tray Gas Oven	220V 50Hz	150W	408	1360x1130x1500
HLY-MS306	3-Deck 6-Tray Gas Oven	220V 50Hz	200W	600	1360x1130x1750



Full Glass Door Gas Oven

- 1 With more than 43 years oven manufacturing experiences
- 2 Stainless steel burner warranty 6 years
- 3 Alusteel chamber side, better baking uniformity
- 4 Micro computer controller with door seal
- 5 Full glass window and full stainless steel handle

Model	Product Name	Voltage	Power	N.W.(KG)	Dimension(mm)	Tray Size(mm)	Chamber Size	Max. Temperature
HLY-102-NM	1-Deck 2-Tray Gas Oven	220V 50Hz	75W/h	106	1330x850x670	400x600	870x670x185mm	400°C
HLY-204-NM	2-Deck 4-Tray Gas Oven	220V 50Hz	150W/h	200	1330x850x1400	400x600	870x670x185mm	400°C
HLY-306-NM	3-Deck 6-Tray Gas Oven	220V 50Hz	225W/h	280	1330x850x1680	400x600	870x670x185mm	400°C
HLY-312-NM	3-Deck 12-Tray Gas Oven	220V 50Hz	225W/h	435	1860x1310x1910	400x600	1290x1000x185mm	400°C

HLY-101DB
■ Gas 1-Deck 1-Tray



HLY-202DB
■ Gas 2-Deck 2-Tray



HLY-303DB
■ Gas 3-Deck 3-Tray



HLY-102DB
■ Gas 1-Deck 2-Tray




HLY-204DB
■ Gas 2-Deck 4-Tray



HLY-306DB
■ Gas 3-Deck 6-Tray



Model	Item	Voltage	Power	N.W. (KG)	Dimension(mm)	Tray Size	chamber size	Max. Temperature
HLY-101DB	1-Deck 1-Tray Gas Oven	220V 50Hz	75W/h	75	1150X700X680	400x600mm	680x530x185mm	400°C
HLY-202DB	2-Deck 2-Tray Gas Oven	220V 50Hz	150W/h	121	1150X700X1200	400x600mm	680x530x185mm	400°C
HLY-303DB	3-Deck 3-Tray Gas Oven	220V 50Hz	225W/h	200	1150X700X1560	400x600mm	680x530x185mm	400°C
HLY-102DB	1-Deck 2-Tray Gas Oven	220V 50Hz	75W/h	120	1360x945x704	400x600mm	1100x850x185mm	400°C
HLY-204DB	2-Deck 4-Tray Gas Oven	220V 50Hz	150W/h	210	1360x945x1400	400x600mm	1100x850x185mm	400°C
HLY-306DB	3-Deck 6-Tray Gas Oven	220V 50Hz	225W/h	288	1360x945x1700	400x600mm	1100x850x185mm	400°C
HLY-309DB	3-Deck 9-Tray Gas Oven	220V 50Hz	225W/h	340	1360x945x1720	400x600mm	1330x710x185mm	400°C



HLY-104E

■ Gas 1-Deck 4-Tray



HLY-106E (4 Burner)

■ Gas 1-Deck 6-Tray



HLY-100E (4 Burner)

■ Gas 1000x1000mm Chamber



HLY-103E

■ Gas 1-Deck 3-Tray



HLY-206E

■ Gas 2-Deck 6-Tray



HLY-309E

■ Gas 3-Deck 9-Tray



HLY-102F

■ Gas 1-Deck 2-Tray



HLY-204F

■ Gas 2-Deck 4-Tray



HLY-306F

■ Gas 3-Deck 6-Tray



Model	Product Name	Voltage	Power	N.W.(KG)	Dimension(mm)	Tray Size(mm)	Chamber Size	Max. Temperature
HLY-103E	1-Deck 3-Tray Gas Oven	220V 50Hz	75W/h	121	1815x926x580	400x600	1330x710x185mm	400°C
HLY-206E	2-Deck 6-Tray Gas Oven	220V 50Hz	150W/h	234	1815x926x1400	400x600	1330x710x185mm	400°C
HLY-309E	3-Deck 9-Tray Gas Oven	220V 50Hz	225W/h	380	1815x926x1705	400x600	1330x710x185mm	400°C
HLY-104E	1-Deck 4-Tray Gas Oven	220V 50Hz	75W/h	160	1770x1260x640	400x600	1290x1000x180mm	400°C
HLY-106E	1-Deck 6-Tray Gas Oven	220V 50Hz	150W/h	200	1770x1440x670	400x600	1290x1290x180mm	400°C
HLY-100E	40x40" (1000x1000mm) Chamber Gas Oven	220V 50Hz	150W/h	160	1485x1190x625	1000x1000	1000x1000x185mm	400°C

Model	Product Name	Voltage	Power	N.W.(KG)	Dimension(mm)	Tray Size(mm)	Chamber Size	Max. Temperature
HLY-102F	1-Deck 2-Tray Gas Oven	220V 50Hz	75W/h	106	1310x850x670	400x600	870x670x185mm	400°C
HLY-204F	2-Deck 4-Tray Gas Oven	220V 50Hz	150W/h	200	1310x850x1400	400x600	870x670x185mm	400°C
HLY-306F	3-Deck 6-Tray Gas Oven	220V 50Hz	225W/h	280	1310x850x1680	400x600	870x670x185mm	400°C

HQ-24E-F

■ 2-Deck 4-Tray Luxury Electric Oven



HQ-36E-N

■ 3-Deck 6-Tray Luxury Electric Oven



HQ-39E-N

■ 3-Deck 9-Tray Luxury Electric Oven




Model	Product Name	Voltage	Power	Size	Chamber size
HQ-24E-F	2-Deck 4-Tray Luxury Electric Oven	380V 3N 50Hz	18.1kW	1240×1600×2000	870×710×210
HQ-36E-N	3-Deck 6-Tray Luxury Electric Oven	380V 3N 50Hz	14.4kW	1240×1600×2000	870×710×210

Model	Product Name	Voltage	Power	Size	Chamber size
HQ-39E-N	3-Deck 9-Tray Luxury Electric Oven	380V 3N 50Hz	19.8kW	1620×1610×2000	1250×710×210

Common Type Electric Deck Oven

- 1 With more than 43 years oven manufacturing experience
- 2 High efficiency heater warranty 10 years
- 4 Alusteel chamber side, better baking uniformty



XYF-1EB-T
■ Electric 1-Deck 1-Tray



XYF-1ED
■ Electric 1-Deck 1-Tray



XYF-1ED-N
■ Electric 1-Deck 1-Tray



Model	Product Name	Voltage	Power	N.W.(KG)	Dimension(mm)	Tray Size(mm)	Chamber Size	Max. Temperature
XYF-1EB-T	Electric 1-Deck 1-Tray Oven	220V 50Hz	3kW/h	30	930x685x405	400x600	645x510x155mm	350°C
XYF-1ED	Electric 1-Deck 1-Tray Oven	220V 50Hz	3kW/h	35	980x675x405	400x600	645x510x155mm	350°C
XYF-1ED-N	Electric 1-Deck 1-Tray Oven	220V 50Hz	3kW/h	35	980x670x405	400x600	645x510x155mm	350°C

XYF-1KE-T
■ Electric 1-Deck 2-Tray



XYF-2KE-T
■ Electric 2-Deck 4-Tray



XYF-3KE-T
■ Electric 3-Deck 6-Tray



Model	Product Name	Voltage	Power	N.W.(KG)	Dimension(mm)	Tray Size(mm)	Chamber Size	Max. Temperature
XYF-1KE-T	1-Deck 2-Tray Electric Oven	220V/380V	6.8kW/h	78	1260x850x570	400x600	870x670x200mm	350°C
XYF-2KE-T	2-Deck 4-Tray Electric Oven	380V 50Hz	13.6kW/h	145	1260x850x1273	400x600	870x670x200mm	350°C
XYF-3KE-T	3-Deck 6-Tray Electric Oven	380V 50Hz	20.4kW/h	188	1260x850x1640	400x600	870x670x200mm	350°C

XYF-1KAL-T
■ Electric 1-Deck 3-Tray



XYF-2KAL-T
■ Electric 2-Deck 6-Tray



XYF-3KAL-T
■ Electric 3-Deck 9-Tray



Model	Product Name	Voltage	Power	N.W.(KG)	Dimension(mm)	Tray Size(mm)	Chamber Size	Max. Temperature
XYF-1KAL-T	Electric 1-Deck 3-Tray Oven	380V 50Hz	9kW/h	100	1680x860x570	400x600	1295x655x200mm	350°C
XYF-2KAL-T	Electric 2-Deck 6-Tray Oven	380V 50Hz	18kW/h	179	1680x860x1273	400x600	1295x655x200mm	350°C
XYF-3KAL-T	Electric 3-Deck 9-Tray Oven	380V 50Hz	27kW/h	260	1680x860x1660	400x600	1295x655x200mm	350°C



Full Glass Electric Oven

- 1 With more than 43 years oven manufacturing experiences
- 2 High efficiency heater warranty 10 years
- 3 With over-heat and leakage protected function
- 4 Micro computer controller with door seal
- 5 Full glass window and full stainless steel handle



Model	Product Name	Voltage	Power	N.W.(KG)	Dimension(mm)	Tray Size(mm)	Chamber Size	Temperature
XYF-1KA-NM	Electric 1-Deck 2-Tray Oven	220V / 380V 50Hz	6.8kW/h	78	1260x850x570	400x600	870x670x200mm	Rtp.~350°C
XYF-2KA-NM	Electric 2-Deck 4-Tray Oven	380V 50Hz	13.6kW/h	145	1260x850x1273	400x600	870x670x200mm	Rtp.~350°C
XYF-3KA-NM	Electric 3-Deck 6-Tray Oven	380V 50Hz	20.4kw/h	188	1260x850x1640	400x600	870x670x200mm	Rtp.~350°C



Model	Product Name	Voltage	Power	N.W.(KG)	Dimension(mm)	Chamber Size(mm)	Max. Temp.
PZD-4040-01	Single Deck Pizza Oven	220V 50Hz	2.6kW	30	600x520x310	400x400x120	~350°C
PZD-4040-02	Double Deck Pizza Oven	220V 50Hz	3.9kW	56	600x520x470	400x400x120	~350°C
PZD-4040-01B	Full S.S Single Deck Pizza Oven	220V 50Hz	2.6kW	30	600x520x310	400x400x120	~350°C
PZD-4040-02B	Full S.S Double Deck Pizza Oven	220V 50Hz	3.9kW	56	600x520x470	400x400x120	~350°C

Luxury Pizza Oven



PZD-5269-1
■ Pizza Oven

PZD-5269-2
■ Pizza Oven

Max Temperature 500°C (EGO Brand Controller)



Full Stainless Steel #304



Stone Inside



Durable Heater & Controller

Model	Product Name	Voltage	Power	N.W.(KG)	Pizza Capacity	Dimension(mm)	Chamber Size(mm)
PZD-5269-1	Single Deck Pizza Oven (Electric)	380V3N~/50Hz	4.5kW	60	10"x4	800x965x415	520x690x145
PZD-5269-2	Double Deck Pizza Oven (Electric)	380V3N~/50Hz	9.0kW	100	10"x4x2	800x965x790	520x690x145

Gas/Electric Pizza Oven

PZG-401A / PZE-401A
■ Gas Pizza Oven / Electric Pizza Oven



PZG-402A / PZE-402A
■ Gas Pizza Oven / Electric Pizza Oven



Max Temperature 500°C (EGO Brand Controller)

Model	Product Name	Voltage	Power	Dimension(mm)	Pizza Capacity	Chamber Size	Max. Temperature
PZG-401A	Single Deck Pizza Oven (Gas)	220V 50Hz	0.1kW/h	1060x800x540	12" x4	600x600x150mm	320/500°C
PZG-402A	Double Deck Pizza Oven (Gas)	220V 50Hz	0.2kW/h	1060x800x950	12" x4 x2	600x600x150mm	320/500°C
PZE-401A	Single Deck Pizza Oven (Electric)	380V 50Hz	4.2kW/h	1060x800x540	12" x4	600x600x150mm	320/500°C
PZE-402A	Double Deck Pizza Oven (Electric)	380V 50Hz	8.4kW/h	1060x800x950	12" x4 x2	600x600x150mm	320/500°C

(13" x4 optional)

PZG-601 / PZE-601
■ Gas Pizza Oven / Electric Pizza Oven



PZG-602 / PZE-602
■ Gas Pizza Oven / Electric Pizza Oven



Model	Product Name	Voltage	Power	Dimension(mm)	Pizza Capacity	Chamber Size	Max. Temperature
PZG-601	Single Deck Pizza Oven (Gas)	220V 50Hz	0.1kW/h	1450x880x540	13" x6	1000x692x150mm	320/500°C
PZG-602	Double Deck Pizza Oven (Gas)	220V 50Hz	0.2kW/h	1450x880x1500	13" x6 x2	1000x692x150mm	320/500°C
PZE-601	Single Deck Pizza Oven (Electric)	380V 50Hz	6.6kW/h	1370x880x448	13" x6	1000x692x150mm	320/500°C
PZE-602	Double Deck Pizza Oven (Electric)	380V 50Hz	13.2kW/h	1370x880x1280	13" x6 x2	1000x692x150mm	320/500°C



HLE-480
■ HLE-480 Electric Pizza Oven

HLG-480
■ HLG-480 Gas Pizza Oven



Electric Pizza Oven

Model	Input Electricity	Electric Power Output	Power Consumption	Dimension(mm)	Volume	Conveyor Size (mm)	Calorie (Kcal/h)	Baking Chamber Length (mm)	Chamber Size	Output pcs	N.W.
HLE-260	220V/380V 50/60Hz	5(KW)	1.5 (KWH)	788*690*412	0.41(M ³)	788*260	3300	430	10 inches	36/hr (6" pizza)	56(KG)
HLE-400	220V/380V 50/60Hz	7(KW)	3 (KWH)	1230*866*429	0.57(M ³)	1230*400	7300	460	15 inches	20/hr (9" pizza)	116(KG)
HLE-480	380V 50/60Hz	9.8(KW)	4 (KWH)	1247*972*438	0.7(M ³)	1247*480	8800	560	18 inches	50/hr (9" pizza)	128(KG)
HLE-520	380V 50/60Hz	11.5(KW)	4.2 (KWH)	1520*1015*480	0.94(M ³)	1520*520	10000	710	20 inches	70/hr (9" pizza)	144(KG)
HLE-865	380V 50/60Hz	24(KW)	8.4 (KWH)	1810*1522*600	2.05(M ³)	1810*865	26000	940	34 inches	120/hr (9" pizza)	360(KG)

Gas Pizza Oven

Model	Input Electricity	Gas Pressure (kpa)	Gas Consumption	Dimension(mm)	Volume	Conveyor Size (mm)	Calorie (Kcal/h)	Baking Chamber Length (mm)	Chamber Size	Output pcs	N.W.
HLG-400	220V 50/60Hz	LPG 2.3-3.3 LNG 1.0-2.5	LPG 0.31(m ³ /hr) LNG 0.70(m ³ /hr)	1230*866*429	0.571(M ³)	1230*400	7300	460	15 inches	20/hr (9" pizza)	116(KG)
HLG-480	220V 50/60Hz	LPG 2.3-3.3 LNG 1.0-2.5	LPG 0.38(m ³ /hr) LNG 0.88(m ³ /hr)	1247*972*438	0.7(M ³)	1247*480	8800	560	18 inches	50/hr (9" pizza)	128(KG)
HLG-520	220V 50/60Hz	LPG 2.3-3.3 LNG 1.0-2.5	LPG 0.42(m ³ /hr) LNG 0.95(m ³ /hr)	1520*1015*480	0.94(M ³)	1520*520	10000	710	20 inches	70/hr (9" pizza)	144(KG)
HLE-865	380V 50/60Hz	LPG 2.3-3.3 LNG 1.0-2.5	LPG 1.10(m ³ /hr) LNG 2.60(m ³ /hr)	1810*1522*600	2.05(M ³)	1810*865	26000	940	34 inches	120/hr (9" pizza)	360(KG)

PZE-12/20
■ Electric Pizza Oven

PZG-12/20
■ Gas Pizza Oven



Model	Product Name	Voltage	Power	G.W.(KG)	Dimension(mm)	Belt Size(mm)	Temperature
PZE-12	12" Electric Pizza Oven	380V 50Hz 3N	6.4kW/h	45	1100x560x340	340x1100	Rtp.~400°C
PZE-20	20" Electric Pizza Oven	380V 50Hz 3N	18kW/h	65	1560x750x340	530x1560	Rtp.~400°C
PZG-12	12" Gas Pizza Oven	220V 50Hz	0.1kW/h	60	1100x640x430	340x1100	Rtp.~400°C
PZG-20	20" Gas Pizza Oven	220V 50Hz	0.1kW/h	80	1550x780x430	530x1550	Rtp.~400°C



XF-16A
■ 16 Trays Proofer



XF-32A
■ 32 Trays Proofer



XF-16B
■ Luxurious 16 Trays Proofer



XF-32B
■ Luxurious 32 Trays Proofer



With Auto water injection system



With timer control



With circulating fan



Humidity and Temp. Controller



Adjustable Gap



With direct steam generating system
(Without water tank inside)



With foaming insulation layer
(Energy saving)



Micro-computer controller with timer

Model	Item	Voltage	Power	N.W. (KG)	Machine Size(mm)
XF-16A	16 Trays Proofer	220V 50Hz	2.35kW	53	500x770x1980
XF-32A	32 Trays Proofer	220V 50Hz	3.2kW	102	1000x820x1980

Model	Item	Voltage	Power	N.W. (KG)	Machine Size(mm)
XF-16B	Luxurious 16 Trays Proofer	220V 50Hz	2.35kW	63	500x770x1980
XF-32B	Luxurious 32 Trays Proofer	220V 50Hz	3.2kW	115	1020x700x1980



Proofing Engine

XFZ-9 ■ Proofing Engine



Model	XFZ-9
Item	Proofing Engine
Voltage	380V 50Hz
Power	9.9kW
Weight	80KG
Machine Size	900*290*1680mm
Room Volume	3x3x2.3m
Temperature	25~50°C
Humidity	Max ~99%



Economy Proofer

XF-16YH ■ 16-Tray Economy Proofer



XF-32YH ■ 32-Tray Economy Proofer



Model	Item	Voltage	Power	Machine Size(mm)
XF-13YH	Economy Type 13 Trays Proofer	220V 50Hz	2.6kW	500x700x1720
XF-16YH	Economy Type 16 Trays Proofer	220V 50Hz	2.6kW	500x700x1980
XF-32YH	Economy Type 32 Trays Proofer	220V 50Hz	2.8kW	1000x700x1980

Proofer

XF-32H ■ 32 Trays Trolley Proofer



XF-64H ■ 64 Trays Trolley Proofer



Model	Item	Voltage	Power	N.W. (KG)	Machine Size(mm)
XF-32H	32 Tray Single Trolley Proofer	380V 50Hz	2.8kW	350	850x1240x2140
XF-64H	64 Tray Two Trolley Proofer	380V 50Hz	5.6kW	450	1720x1240x2140



Model	Item	Voltage/Power	Flour Capacity	N.W.	Dimension(mm)	Hook Speed	Bow Speed	Bowl Capacity
BS-10A	10L Spiral Mixer (3.5kg Converter inside)	220V 50Hz/0.55kW	3.5kg	43kg	480x250x500	110-285rpm	12-25rpm	10L
BS-20A	20L Spiral Mixer (8kg Converter inside)	220V 50Hz/1.5kW	8kg	93kg	700x390x770	125/250rpm	12/25rpm	20L
BS-30A	30L Spiral Mixer (12kg Converter inside)	220V 50Hz/2.0kW	12kg	117kg	770x440x850	125/250rpm	12/25rpm	30L
BS-40A	40L Spiral Mixer (15kg Converter inside)	220V 50Hz/2.2kW	15kg	125kg	770x440x850	125/250rpm	12/25rpm	40L
BS-50A	50L Spiral Mixer (20kg Converter inside)	220V 50Hz/4.0kW	20kg	160kg	880x500x920	125/250rpm	12/25rpm	50L
BS-60A	60L Spiral Mixer (25kg Converter inside)	220V 50Hz/4.0kW	25kg	177kg	880x530x920	125/250rpm	12/25rpm	60L
BS-20H	20L Spiral Mixer (8kg)	380V 50Hz/1.1kW	8kg	93kg	700x390x770	125/250rpm	12/25rpm	20L
BS-30H	30L Spiral Mixer (12kg)	380V 50Hz/1.5kW	12kg	117kg	770x440x850	125/250rpm	12/25rpm	30L
BS-40H	40L Spiral Mixer (15kg)	380V 50Hz/1.8kW	15kg	125kg	770x440x850	125/250rpm	12/25rpm	40L
BS-50H	40L Spiral Mixer (20kg)	380V 50Hz/4.0kW	20kg	160kg	880x500x920	125/250rpm	12/25rpm	50L
BS-60H	60L Spiral Mixer (25kg)	380V 50Hz/4.0kW	25kg	177kg	880x530x920	125/250rpm	12/25rpm	60L



Powerful Belt Transmission



Food Grade Stainless Steel



Voltage Converter Inside

Model	Item	Voltage/Power	Flour Capacity	N.W.	Dimension(mm)	Hook Speed	Bow Speed	Bowl Capacity
HMB-20	20L Spiral Mixer (8kg Converter inside)	220V 50Hz/1.5kW	8kg	84kg	700x390x770	125/250rpm	12/25rpm	20L
HMB-30	30L Spiral Mixer (12kg Converter inside)	220V 50Hz/2.0kW	12kg	103kg	770x440x850	125/250rpm	12/25rpm	30L
HMB-20-N	20L Spiral Mixer (8kg Converter inside)	220V 50Hz/1.5kW	8kg	84kg	770x440x850	125/250rpm	12/25rpm	20L
HMB-30-N	30L Spiral Mixer (12kg Converter inside)	220V 50Hz/2.0kW	12kg	103kg	880x530x920	125/250rpm	12/25rpm	30L
HM-20	20L Spiral Mixer (8kg)	380V 50Hz/1.1kW	8kg	84kg	700x390x770	125/250rpm	12/25rpm	20L
HM-30	30L Spiral Mixer (12kg)	380V 50Hz/1.5kW	12kg	103kg	770x440x850	125/250rpm	12/25rpm	30L
HM-20-N	20L Spiral Mixer (8kg)	380V 50Hz/1.1kW	8kg	84kg	770x440x850	125/250rpm	12/25rpm	20L
HM-30-N	30L Spiral Mixer (12kg)	380V 50Hz/1.5kW	12kg	103kg	880x530x920	125/250rpm	12/25rpm	30L



Luxury Spiral Mixer



HS 80 (25KG)
■ 80L Spiral Mixer



HS130 (50KG)
■ 130L Spiral Mixer



HS200/260 (75/100KG)
■ 200/260L Spiral Mixer



Model	Product Name	Voltage	Power	Flour Capacity	N.W. (KG)	Dimension(mm)	Hook Speed	Bowl Capacity
HS80	80L Spiral Mixer (25kg)	380V 50Hz	2.4kW	25kg	429kg	1120x680x1300	107/210rpm	80L
HS130	130L Spiral Mixer (50kg)	380V 50Hz	5.6kW	50kg	570kg	1220x750x1430	107/210rpm	130L
HS200	200L Spiral Mixer (75kg)	380V 50Hz	7.5kW	75kg	700kg	1330x950x1510	100/200rpm	200L
HS260	260L Spiral Mixer (100kg)	380V 50Hz	11kW	100kg	750kg	1460x950x1600	100/200rpm	260L



Omron Timer and High Quality Parts



With Emergency Operation Button
Manual or Digital Controller are Optional



Food Grade Stainless Steel

Model	Product Name	Voltage	Power	Flour Capacity	N.W.	Dimension(mm)	Hook Speed	Bowl Capacity
DM-15E	40L Spiral Mixer (15kg)	380V 50Hz	2.2kW	15kg	200kg	860x485x1230	271/124rpm	40L
DM-25E	80L Spiral Mixer (25kg)	380V 50Hz	4.0kW	25kg	300kg	930x590x1280	255/117rpm	80L
DM-50E	130L Spiral Mixer (50kg)	380V 50Hz	6.0kW	50kg	410kg	1140x715x1370	238/109rpm	130L
DM-50EH	130L Spiral Mixer (50kg)	380V 50Hz	6.0kW	50kg	680kg	1400x1380x1510	260/120rpm	130L



Without Timer is Optional



Fast and Slow Speed Timer



Well Finishing Body



Powerful Belt Transmission

Model	Product Name	Voltage	Power	Flour Capacity	N.W. (KG)	Dimension(mm)	Hook Speed	Bowl Capacity
DM-8G	8L Spiral Mixer (3kg)	220V 50Hz	0.7kW	3kg	30kg	495x302x385	0~159rpm	8L
DM-20GT	20L Spiral Mixer (8kg)	220V 50Hz	1.1kW	8kg	92kg	675x400x825	125/250rpm	20L
DM-30GT	30L Spiral Mixer (12kg)	220V 50Hz	1.5kW	12kg	103kg	730x445x860	120/250rpm	30L
DM-40H	40L Spiral Mixer (16kg)	380V 50Hz	2.2kW	16kg	133kg	754x490x1055	125/250rpm	40L
DM-50H	50L Spiral Mixer (20kg)	380V 50Hz	2.4kW	20kg	182kg	794x520x1055	138/285rpm	50L
DM-60H	60L Spiral Mixer (25kg)	380V 50Hz	2.4kW	25kg	195kg	876x526x1120	138/285rpm	60L
DM-80H	70L Spiral Mixer (30kg)	380V 50Hz	2.4kW	30kg	220kg	920x580x1120	138/285rpm	70L

TB7L-200Y
7L Food Mixer



TB7L-200YB
7L Food Mixer



Model	Product Name	Voltage	Power	N.W. (KG)	Dimension(mm)	Bowl Capacity
TB7L-200Y	7L Food Mixer	220V 50Hz	320W/h	12.5kg	320x480x540	7L
TB7L-200YB	7L Food Mixer	220V 50Hz	320W/h	12.5kg	320x480x540	7L



B-5/B-7
5L/7L Food Mixer

Model	Product Name	Voltage	Power	Flour Capacity	N.W. (KG)	Dimension(mm)	Bowl Capacity
B-5	5L Food Mixer	220V 50Hz	300W/h	1.0kg	13.6kg	370x230x410	5L
B-7	7L Food Mixer	220V 50Hz	350W/h	1.5kg	14.5kg	420x250x425	7L

HL-5C/7C
5L/7L Food Mixer



With CE ETL & UL Certification

Model	Product Name	Voltage	Power	Flour Capacity	N.W. (KG)	Dimension(mm)	Bowl Capacity
HL-5C	5L Food Mixer	220V 50Hz	250W/h	1.0kg	14kg	410x230x420	5L
HL-7C	7L Food Mixer	220V 50Hz	270W/h	1.5kg	15kg	410x230x420	7L

**B-10B**

■ 10L Planetary Mixer (Gear)

**B-20B**

■ 20L Planetary Mixer (Gear)

**B-30B**

■ 30L Planetary Mixer (Gear)



Gear transmission planetary mixer

Model	Product Name	Voltage	Flour Capacity	N.W.	Dimension(mm)	Mixing Speed	Bowl Capacity
B-10B	10L Planetary mixer(Gear)	220V 50Hz	1kg	56kg	450x366x606	110/180/408rpm	10L
B-20B	20L Planetary mixer(Gear)	220V 50Hz	2kg	73kg	520x420x760	110/180/408rpm	20L
B-30B	30L Planetary mixer(Gear)	220V 50Hz	3kg	90kg	710x670x1270	110/180/408rpm	30L

Belt transmission planetary mixer

Model	Product Name	Voltage	Flour Capacity	N.W.	Dimension(mm)	Mixing Speed	Bowl Capacity
B-20F	20L Planetary mixer (Belt)	220V 50Hz	3.0KG	80KG	540x450x860	110/200/420rpm	20L
B-30F	30L Planetary mixer (Belt)	220V 50Hz	4.0KG	109KG	545x488x925	110/200/420rpm	30L
B-40F	40L Planetary mixer (Belt)	220/380V 50Hz	4.5KG	150KG	620x520x1011	80/160/310rpm	40L
B-50F	50L Planetary mixer (Belt)	380V 50Hz	7.0KG	195KG	690x622x1200	74/150/288rpm	50L
B-60F	60L Planetary mixer (Belt)	380V 50Hz	8.0KG	251KG	724x652x1300	74/150/288rpm	60L



With CE & ETL Certification



- 1 With CE ETL & UL certification
- 2 All stainless steel is food grade #304
- 3 The body is made of cast aluminum
- 4 Good finishing inside and outside

Model	Product Name	Voltage	Power	Flour Capacity	N.W.	Dimension(mm)	Hook Speed	Bowl Capacity
LB-10A	10L Luxury Planetary Mixer	220V 50Hz	0.75kW	2.0kg	36kg	505x475x710	108/198/355rpm	10L
LB-20A	20L Luxury Planetary Mixer	220V 50Hz	1.1kW	4.0kg	112kg	630x590x890	108/198/355rpm	20L
LB-30A	30L Luxury Planetary Mixer	220V 50Hz	1.5kW	7.5kg	180kg	710x670x1270	108/198/355rpm	30L
LB-40A	40L Luxury Planetary Mixer	220V 50Hz	2.2kW	9.5kg	190kg	710x670x1300	108/198/355rpm	40L
LB-60A	60L Luxury Planetary Mixer	380V 50Hz	3.0kW	15kg	396kg	1220x920x1700	71/123/206/362rpm	60L



Model	Product Name	Voltage	Power	Flour Capacity	N.W.	Dimension(mm)	Mixing speed	Bowl Capacity
N-101	10L Planetary Mixer	220V 50Hz	0.23kW	1.5KG	57KG	430x440x670	156/340/530 rpm	20L
N-201	20L Planetary Mixer	220V 50Hz	0.38kW	1.5KG	84KG	500x600x950	131/288/518 rpm	20L
N-301	30L Planetary Mixer	220V 50Hz	0.75kW	4KG	151KG	620x620x102	120/240/468 rpm	30L
N-401	40L Planetary Mixer	220V 50Hz	1.13kW	5.6KG	163KG	620x610x1070	120/240/468rpm	40L



B-60A/80A
60/80L Planetary Mixer



B-80E/100E
80/100L Planetary Mixer

Model	Product Name	Voltage	N.W. (KG)	Dimension(mm)	Mixing Speed	Bowl Capacity
B-60A	60L Planetary Mixer	380V 50Hz	480kg	920x670x1630	110/200/420rpm	60L
B-80A	80L Planetary Mixer	380V 50Hz	510kg	940x720x1730	110/200/420rpm	80L
B-80E	80L Planetary Mixer	380V 50Hz	480kg	1250x800x1750	80/160/310rpm	80L
B-100E	100L Planetary Mixer	380V 50Hz	580kg	1300x840x1750	74/150/288rpm	100L






QS-400BT/520BT
■ Full S.S. 400/520mm Table Top



QS-520BE/630BE
■ Luxurious 520/630mm Sheeter



QS-400B/520B/630B
■ 400/520/630mm Classic type



What's PU (Blue) belt?

- 1 Higher food safety level with FDA SGS certified.
- 2 1.5-2 times longer service life than PVC belt.
- 3 PU belt materials are oil-resistant.
- 4 PU belts are more easy to clean and will not be yellowing.

Model	Product Name	Belt Size	Voltage	Net Weight	Expanded Width/ Height	Max DoughCapacity	Machine Size
QS-520BE	Luxurious 520 Dough Sheeter	520x2200	220/380 V 50Hz	260kg	2700x1100	5.5kg	960x2700x1100
QS-630BE	Luxurious 630 Dough Sheeter	630x2400	220/380 V 50Hz	290kg	3100x1100	6.5kg	1060x3100x1100
QS-400B	Full S.S. 400 Dough Sheeter	400x1600	220/380 V 50Hz	170kg	2000x1040	4.0kg	820x2000x1040
QS-520B	Full S.S. 520 Dough Sheeter	520x2200	220/380 V 50Hz	248kg	2700x1100	5.5kg	960x2700x1100
QS-630B	Full S.S. 630 Dough Sheeter	630x2400	220/380 V 50Hz	268kg	3100x1100	6.5kg	1060x3100x1100
QS-400BT	Full S.S. Table Top 400 Dough Sheeter	400x1600	220/380 V 50Hz	110kg	1990x590	4.0kg	840x1990x590
QS-520BT	Full S.S. Table Top 520 Dough Sheeter	520x2200	220/380 V 50Hz	130kg	2250x590	5.5kg	960x2250x590

MT 300/400/500
■ 300/400/500 dough sheeter



Model	Voltage	Frequency	Motor power	Roller Range	Roller Diameter	Worktable Width	N.W.(kg)	Outline Dimension
MT300	220(V)	50/60(Hz)	0.12(Kw)	1~35(mm)	89mm	300(mm)	80	68*118*55cm
MT400	220(V)	50/60(Hz)	0.12(Kw)	1~35(mm)	89mm	400(mm)	90	78*168*55cm
MT500	220(V)	50/60(Hz)	0.12(Kw)	1~35(mm)	89mm	500(mm)	100	88*208*55cm

H-520E/630E
■ 520/630 dough sheeter



H-400T/500T
■ 400/520 dough sheeter



Model	Product Name	Belt Size	Voltage	Net Weight	Expanded Width/ Height	Max Dough Capacity
H-420E	420 Dough Sheeter (Floor Type)	400x1700	220/380V 50Hz	250kg	2020x1285	4.0kg
H-520E	520 Dough Sheeter (Floor Type)	500x2000	220/380V 50Hz	260kg	2520x1282	5.0kg
H-630E	630 Dough Sheeter (Floor Type)	610x2800	220/380V 50Hz	290kg	3320x1285	6.5kg
H-400T	400 Dough Sheeter (Table Top)	400x1700	220/380V 50Hz	130kg	2020x700	4.0kg
H-500T	500 Dough Sheeter (Table Top)	500x2000	220/380V 50Hz	150kg	2430x700	5.0kg

QS-650Z
■ Automatic Dough Sheeter



DM-300
■ Toast Dough moulder




QS-600AC
■ Auto.Shape Cutting Machine



Cutting Shape: ○ □ ▲ ▽ ▢ ○

Model	Product Name	Belt Size	Voltage	Net Weight	Power	Machine Size
QS-600AC	Auto. Shape Cutting Machine	600x4000	220/380V 50Hz	600kg	1.2kW	4000x1000x1140
OS-650Z	Auto. 650 Dough Sheeter	630x4000	220/380V 50Hz	600kg	1.5kW	4000x1090x1360
DM-300	Toast Dough Moulder	Belt wide:650mm	220/380V 50Hz	280kg	1.1kW	2100x900x1720

Bread Slicer



HLM-31B
■ 12mm Full S.S body



Model	Slicing Thickness	Blade Quantity	Voltage	Power	Net Weight	Machine Size
HLM-31B	12mm Full S.S Bread Slicer	31 pcs	220V 50Hz	0.37kw	50kg	720x546x720
HLM-31P	12mm Bread Slicer	31 pcs	220V 50Hz	0.37kw	50kg	720x546x720



HLM-31H
■ 12/10/9mm



Model	Slicing Thickness	Blade Quantity	Voltage	Power	Net Weight	Machine Size
HLM-31H	12mm	31 pcs	220V 50Hz	0.37kw	70kg	720x546x720
HLM-37H	10mm	37 pcs	220V 50Hz	0.37kw	70kg	720x546x720
HLM-25H	15mm	25 pcs	220V 50Hz	0.37kw	70kg	720x546x720
HLM-18H	20mm	18 pcs	220V 50Hz	0.37kw	70kg	720x546x720

Divider and Moulder



AUR-1P/2P/3P/4P
■ Automatic Dough Divider and Rounder

Model	Dough Range	Output Capacity	Voltage	Power	Net Weight	Machine Size
AUR-1P	100-500g	1800pcs/h	380 V 50Hz	1.5kw	420kg	880x1200x1500
AUR-2P	25-250g	3600pcs/h	380 V 50Hz	1.5kw	420kg	880x1200x1500
AUR-3P	20-100g	5400pcs/h	380 V 50Hz	1.5kw	420kg	880x1200x1500
AUR-4P	15-80g	8000pcs/h	380 V 50Hz	1.5kw	420kg	880x1200x1500

QQJ-400
■ Cookie Machine



QQJ-600
■ Cookie Machine



Model	Belt Width	Output Capacity	Voltage	Power	Net Weight	Machine Size
QQJ-400	420mm	25 times/min	220V 50Hz	1.2kw	350kg	930x1550x1410
QQJ-600	620mm	25 times/min	220V 50Hz	1.2kw	450kg	1130x1550x1410

HLM-36

■ 36 Cuts Dough Divider



HLM-36BP/20BP

■ 36/20 Cuts Manual Dough Divider



MD-380A

■ 380mm Toast Moulder



MD-280A

■ 280mm Mini Toast Moulder



Model	Product Name	Blade Quantity	Dough Range	Power	Net Weight	Machine Size
HLM-36	36 Cuts Dough Divider	36 pcs	30-180g	220V 50Hz 0.75kw	180kg	410x520x1240
HLM-36BP	36 Cuts Manual Dough Divider	36 pcs	30-180g	----	80kg	520x600x1280
HLM-20BP	20 Cuts Manual Dough Divider	20 pcs	50-250g	----	80kg	520x600x1280

Model	Product Name	Voltage	Power	Net Weight	Machine Size
MD-380A	380mm Toast Moulder	220V / 380V	0.75kW	220kg	580x1340x1100
MD-280A	280mm Mini Toast Moulder	220V / 380V	0.40kW	145kg	720x546x720

HLM-H20D/H30D

■ 20/30 Cuts Hydraulic Dough Divider



FB-300

■ Baguette Moulder



Model	Product Name	Divider Quantity	Dough Range	Voltage	Power	N.W.	Machine Size
HLM-H20D	20 Cuts Hydraulic Dough Divider	20 pcs	135-800g	220V/380V,50Hz	2.2kw	400kg	640x660x985
HLM-H30D	30 Cuts Hydraulic Dough Divider	30 pcs	90-550g	220V/380V,50Hz	2.2kw	400kg	640x660x985
FB-300	Baguette Moulder	----	----	220V/380V,50Hz	1.1kW	400kg	960x1010x1580

HLM-30S/36S

■ 30/36 Cuts Semi-Auto Dough Divider and Rounder



HLM-30FA/36FA

■ 30/36 Cuts Full Auto Dough Divider and Rounder



Model	Product Name	Dough Range	Voltage	Power	N.W.(KG)	Machine Size
HLM-30S	30 Cuts Semi Auto Dough Divider and Rounder	30-100g	220/380V 50Hz	0.75kw	330kg	740x570x2100
HLM-36S	36 Cuts Semi Auto Dough Divider and Rounder	20-70g	220/380V 50Hz	0.75kw	330kg	740x570x2100
HLM-30FA	30 Cuts Full Auto Dough Divider and Rounder	30-100g	220/380V 50Hz	1.5kw	400kg	540x580x1500
HLM-36FA	36 Cuts Full Auto Dough Divider and Rounder	20-70g	220/380V 50Hz	1.5kw	400kg	540x580x1500

APD40

■ 15 Inch Pizza Roller



APD30

■ 12 Inch Pizza Roller



GP-G60X/G80X

■ Gas 6/8-Tray Rice Steamer



GP-G100X/G120X

■ Gas 10/12-Tray Rice Steamer



GP-G240

■ Gas 24-Tray Rice Steamer



Model	Product Name	Pizza Size	Dough Range	Voltage	Net Weight	Machine Size
APD40	15 Inch Pizza Roller	10-40mm	50-500g	220V 50/60Hz 0.37kw	40kg	530x530x645
APD30	12 Inch Pizza Roller	10-30mm	50-500g	220V 50/60Hz 0.37kw	37kg	480x520x620

H-12VA

■ 12 Inch Pizza Roller



H-18VA

■ 18 Inch Pizza Roller



Model	Product Name	Machine Size	Net Weight	Voltage	Dough Range	Pizza Size
H-12VA	12 Inch Pizza Dough Roller	460*360*340mm	27kg	220V 50/60Hz 0.45kw	50-500g	10-300mm
H-18VA	18 Inch Pizza Dough Roller	645*380*350mm	27kg	220V 50/60Hz 0.45kw	50-500g	10-480mm

GP-E60X/E80X

■ Electric 6/8-Tray Rice Steamer



GP-E100X/E120X

■ Electric 10/12-Tray Rice Steamer



GP-E240X

■ Electric 24-Tray Rice Steamer



GAS Rice Steamer

Model	Machine Size
GP-G60X	700x580x1140
GP-G80X	700x580x1280
GP-G100X	700x580x1430
GP-G120X	700x580x1560
GP-G240X	1380x580x1560

Electric Rice Steamer

Model	Machine Size
GP-E60X	700x580x1140
GP-E80X	700x580x1280
GP-E100X	700x580x1430
GP-E120X	700x580x1560
GP-E240X	1380x580x1560

HPFE-24/HPFG-25
■ Electric/Gas Pressure Fryer

HPFG-800/HPFE-800
■ Gas/Electric Pressure Fryer



Model	Product Name	Voltage	Power	E.X. Size(cm)	Capacity
HPFG-800	Gas Pressure Fryer	220-230V 50Hz	160W	96*46*123	25L
HPFG-25	Gas Pressure Fryer	220-230V 50Hz	160W	96*46*123	25L
HPFE-800	Electric Pressure Fryer	220-380V 50Hz	13.5kW	96*46*123	25L
HPFE-24	Electric Pressure Fryer	220-380V 50Hz	13.5kW	96*46*123	24L



MC-12/MC-12S
■ Meat Mincer




Model	Product Name	Power	Voltage	Size	N.W.	Capacity	Speed
MC-12	Meat Mincer	110/220V 50/60Hz	0.75kW	370*220*420mm	16.5kg	120kg/h	170RPM
MC-12S	Full S.S Meat Mincer	110/220V 50/60Hz	0.75kW	370*220*420mm	16.5kg	120kg/h	170RPM
MC-22S	Full S.S Meat Mincer	110/220V 50/60Hz	1.1kW	430*290*400mm	19kg	220kg/h	170RPM

Working Table



Model	Size	Thickness	Material
TB-106080	1000x600x800mm	1.0mm	Stainless steel #201
TB-127080	1200x700x800mm	1.0mm	Stainless steel #201
TB-157080	1500x700x800mm	1.0mm	Stainless steel #201
TB-187080	1800x700x800mm	1.0mm	Stainless steel #201
TB-128080	1200x800x800mm	1.0mm	Stainless steel #201
TB-158080	1500x800x800mm	1.0mm	Stainless steel #201
TB-188080	1800x800x800mm	1.0mm	Stainless steel #201



Model	Size	Thickness	Material
TBB-106080	1000x600x800mm	1.0mm	Stainless steel #201
TBB-127080	1200x700x800mm	1.0mm	Stainless steel #201
TBB-157080	1500x700x800mm	1.0mm	Stainless steel #201
TBB-187080	1800x700x800mm	1.0mm	Stainless steel #201
TBB-128080	1200x800x800mm	1.0mm	Stainless steel #201
TBB-158080	1500x800x800mm	1.0mm	Stainless steel #201
TBB-188080	1800x800x800mm	1.0mm	Stainless steel #201



Model	Size	Material
SR-155015	1500x500x1550mm	Stainless steel #201
SR-125015	1200x500x1550mm	Stainless steel #201
SR-105015	1000x500x1550mm	Stainless steel #201

Baking Tray and Trolley



Low Side Aluminum Tray

Model	Size	Thickness	(Actual)
LT-4060-1.0	400x600x30mm	1.0mm	(0.6mm)
LT-4060-0.8	400x600x30mm	0.8mm	(0.45mm)



High Side Aluminum Tray

Model	Size	Thickness	(Actual)
HT-4060-1.0	400x600x50mm	1.0mm	(0.6mm)
HT-4060-0.8	400x600x50mm	0.8mm	(0.45mm)



Alusteel Tray

Model	Size	Thickness
ALT-4060-0.6	400x600x30mm	0.6mm
ALT-4060-0.7	400x600x30mm	0.7mm




Non-stick Perforated Alusteel Baking Tray

Model	Size	Thickness
PLT-4060-0.6	400x600x30mm	0.6mm
PLT-4060-0.7	400x600x30mm	0.7mm




Non-stick Alusteel Baking Tray

Model	Size	Thickness
NLT-4060-0.6	400x600x30mm	0.6mm
NLT-4060-0.7	400x600x30mm	0.7mm




Non-stick 8 Rows Baguette Tray (Aluminum)

Model	Size	Thickness	Row Size
NBT-6080-8	600x800x43mm	1.0mm	65x26mm



Non-stick 4 Rows Baguette Tray (Aluminum)

Model	Size	Thickness	Row Size
NBT-4060-4	400x600x43mm	1.0mm	88x24mm



Non-stick 8 Rows Baguette Tray (Aluminum)


Model	Size	Thickness	Row Size
NBT-4060-5	400x600x43mm	1.0mm	66x30mm

Baking Tray and Trolley



Perforated Loaf Pan (Aluminum, Two-sides Non-stick)

Model	Dimonsion	Size			Thickness
		Top Size	Bottom Size	Height	
XMC70010	450g	197x106 mm	186x101 mm	110 mm	1.0 mm
XMC70011	600g	309x91 mm	300x84 mm	107 mm	1.0 mm
XMC70012	750g	316x100 mm	305x93 mm	116 mm	1.0 mm
XMC70013	900g	327x106 mm	316x100 mm	122 mm	1.0 mm
XMC70014	1000g	327x121 mm	312x119 mm	121 mm	1.0 mm
XMC70015	1200g	370x120 mm	361x116 mm	125 mm	1.0 mm



Corrugated Loaf Pan (Aluminum, Non-stick)

Model	Dimonsion	Size			Thickness
		Top Size	Bottom Size	Height	
XMC40019	250g	164x94 mm	158x87 mm	77 mm	1.0 mm
XMC40020	385g	217x94 mm	211x88 mm	77 mm	1.0 mm
XMC40021	450g	197x106 mm	186x101 mm	110 mm	1.0 mm
XMC40022	600g	309x91 mm	300x84 mm	107 mm	1.0 mm
XMC40023	750g	316x100 mm	305x93 mm	116 mm	1.0 mm
XMC40024	900g	327x106 mm	316x100 mm	122 mm	1.0 mm
XMC40025	1000g	327x121 mm	312x119 mm	121 mm	1.0 mm
XMC40026	1200g	370x120 mm	361x116 mm	125 mm	1.0 mm



Loaf Pan (Aluminum, Non-stick)

Model	Dimonsion	Size			Thickness
		Top Size	Bottom Size	Height	
XMC20010	250g	164x94 mm	158x87 mm	77 mm	1.0 mm
XMC20011	385g	217x94 mm	211x88 mm	77 mm	1.0 mm
XMC20012	450g	197x106 mm	186x101 mm	110 mm	1.0 mm
XMC20013	600g	309x91 mm	300x84 mm	107 mm	1.0 mm
XMC20014	750g	316x100 mm	305x93 mm	116 mm	1.0 mm
XMC20015	900g	327x106 mm	316x100 mm	122 mm	1.0 mm
XMC20016	1000g	327x121 mm	312x119 mm	121 mm	1.0 mm
XMC20017	1200g	370x120 mm	361x116 mm	125 mm	1.0 mm



15/16/18 Trays Full Stainless Steel Trolley
(Not high temperature resistance)



30/32/36 Trays Full Stainless Steel Trolley
(Not high temperature resistance)



16/18Trays Full Stainless Steel Trolley
(High temperature resistance)



32/36Trays Full Stainless Steel Trolley
(High temperature resistance)